	2	3	4	5	6	7	8	9	10	11	12	13	14
1. Symptom Severity (ADOS)	-0.426***	-0.183	-0.106	0.303**	-0.259*	0.332**	-0.174	0.381**	0.233*	0.203	0.063	0.108	0.082
2. IQ		-0.091	0.04	-0.245*	0.242*	-0.253*	0.147	-0.384**	-0.029	-0.233*	-0.95	-0.011	0.053
3. Child baseline cortisol with mother			0.447**	-0.124	-0.165	-0.039	0.016	0.018	-0.107	-0.188	-0.164	-0.127	-0.039
4. Child baseline cortisol with father				-0.108	0.038	-0.094	0.036	-0.179	-0.198	-0.157	0.067	0.003	-0.147
5. Child simple strategies during SF with mother					-0.354**	0.318**	-0.077	0.467***	0.098	0.171	0.172	0.253*	0.347**
6. Child complex strategies during SF with mother						-0.106	0.182	-0.176	-0.012	-0.173	0.003	-0.139	-0.164
7. Child simple strategies during SF with father							-0.295**	0.218+	0.314**	0.02	0.043	0.016	0.048
8. Child complex strategies during SF with father								0.025	-0.067	-0.184	0.12	-0.126	0.15
9. Child simple strategies during reunion with mother									-0.068	0.248*	0.121	0.052	0.231*
10. Child simple strategies during reunion with father										-0.104	-0.026	-0.085	-0.007
11. Mother simple strategies during reunion											0.158	0.114	0.235*
12. Father simple strategies during reunion												0.003	0.057
13. Mother complex strategies during reunion													0.166
14. Father complex strategies during reunion													