

Excluded study references

Bargiel-Matusiewicz, K. & Ziebaczevska, M. (2006) The influence of social support on the occurrence of the withdrawal syndrome in alcohol abused patients. *Journal of Physiology and Pharmacology*, 57 (Suppl. 4), 23–31.

Chan, M., Sorensen, J., Guydish, J., *et al.* (1997). Client satisfaction with drug abuse day treatment versus residential care. *Journal of Drug Issues*, 27, 367–377.

Cunningham, J., & Sobell, L. (2009) Should physicians be asking about alcohol use? The patient's perspective. *Substance Abuse*, 18, 27–32.

De Guzman, R., Leonard, N., Gwadz, M., *et al.* (2006) "I thought there was no hope for me": a behavioural intervention for urban mothers with problem drinking. *Qualitative Health Research*, 16, 1252–1266.

Grant, B. (1997) Barriers to alcoholism treatment: reasons for not seeking treatment in a general population sample. *Journal of Studies on Alcohol*, 58, 365–371.

Giovazolias, T. & Davis, P. (2005) Matching therapeutic interventions to drug and alcohol abusers' stage of motivation: the client's perspective. *Counselling Psychology Quarterly*, 18, 171–182.

Grebot, E., Coffinet, A., & Laugier, C. (2008) Changements au cours d'une cure de sevrage de l'alcool: dépression, désespoir, mecanismes de défenses et croyances. (Changes during detoxification: depression, hopelessness, defence mechanisms and beliefs). *Journal de Therapie Comportementale et Cognitive*, 18, 77–83.

Happell, B., Carta, B. & Pinikahana, J. (2002) Nurses' knowledge, attitudes and beliefs regarding substance use: a questionnaire survey. *Nursing and Health Sciences*, 4, 193–200.

Hoerter, K., Stasiewicz, P. & Bradizza, C. (2004) Subjective reactions to alcohol cue exposure: a qualitative analysis of patients' self-reports. *Psychology of Addictive Behaviors*, 18, 402–406.

- Kahan, M., Wilson, L., Liu, E., *et al.* (2004) Family medicine residents' beliefs, attitudes and performance with problem drinkers. *Substance Abuse*, 25, 43–51.
- Kaner, E., Heather, N., McAvoy, B., *et al.* (1999) Intervention for excessive alcohol consumption in primary health care: attitudes and practices of English general practitioners. *Alcohol & Alcoholism*, 34, 559–566.
- Karel, M., Lynch, B. & Moye, J. (2000) Patterns of lifetime alcohol use in a clinical sample of older male veterans. *Clinical Gerontologist*, 22, 55–71.
- Koski-Jannes, A. (1998) Turning points in addiction careers: five case studies. *Journal of Substance Misuse*, 3, 226–233.
- Laudet, A. (2003) Attitudes and beliefs about 12-step groups among addiction treatment clients and clinicians: towards identifying obstacles to participation. *Substance Use & Misuse*, 38, 2017–2047.
- Mackenzie, A. & Allen, R. (2003) Alcoholics evaluation of alcoholism treatment. *Alcoholism Treatment Quarterly*, 21, 1–18.
- Miller, P., Thomas, S. & Mallin, R. (2006) Patient attitudes towards self-report and biomarker alcohol screening by primary care physicians. *Alcohol and Alcoholism*, 41, 306–310.
- Orford, J., Hodgson, R., Copello, A., *et al.* (2009) What was useful about that session? Clients' and therapists' comments after sessions in the UK alcohol treatment trials (UKATT). *Alcohol and Alcoholism*, 44, 1–8.
- Pettinati, H., Monterosso, J., Lipkin, C., *et al.* (2003) Patient attitudes toward treatment predict attendance in clinical pharmacotherapy trials of alcohol and drug treatment. *The American Journal on Addictions*, 12, 324–335.
- Pithouse A. & Arnall C. (1996) The impact of a community-based 'dry' day centre in mediating alcohol misuse: initial results of a user self-assessment survey. *Health and Social Care in the Community*, 4, 237–241.
- Rychtarik, R., Connors, G., Dermen, K., *et al.* (2000b) Alcoholics anonymous and the use of medications to prevent relapse: an anonymous survey of member attitudes. *Journal of Studies on Alcohol*, 61, 134-138.

- Sellman J. & Joyce P. (1996) Does depression predict relapse in the six months following treatment for men with alcohol dependence? *Australian and New Zealand Journal of Psychiatry*, 30, 573–578.
- Strobbe, S., Brower, K. J. & Galen, L. W. (2004) Patient satisfaction with outpatient detoxification from alcohol. *Journal of Addictions Nursing*, 15, 23–29.
- Swift, R., Duncan, D., Nirenberg, T., *et al.* (1998) Alcoholic patients' experience and attitudes on pharmacotherapy for alcoholism. *Journal of Addictive Disease*, 17, 35–48.
- Thomas, S. & Miller, P. (2007) Knowledge and attitudes about pharmacotherapy for alcoholism: survey of counsellor and administrators in community-based addiction treatment centres. *Alcohol and Alcoholism*, 42, 113–118.
- Tonigan, J., Miller, W. & Connors, G. (2000) Project MATCH client impressions about alcoholics anonymous. *Alcohol Treatment Quarterly*, 18, 25–41.
- Tucker, J., Foushee, R. & Simpson, C. (2009) Increasing the appeal and utilization of services for alcohol and drug problems: what consumers and their social networks prefer. *International Journal of Drug Policy*, 20, 76–84.
- Vuchinich, R. & Tucker, A. (1996) Alcoholic relapse, life events, and behavioural theories of choice: a prospective analysis. *Experimental and Clinical Psychopharmacology*, 4, 19–28.
- Wells, J., Horwood, J. & Fergusson, D. (2007) Reasons why young adults do or do not seek help for alcohol problems. *Australian and New Zealand Journal of Psychiatry*, 41, 1005-1012.
- White, M., Godley, S. & Passetti, L. (2004) Adolescent and parent perceptions of outpatient substance abuse treatment: a qualitative study. *Journal of Psychoactive Drugs*, 36, 65–74.
- Wild, T., Cunningham, J. & Hobdon, K. (1998) When do people believe that alcohol treatment is effective? The importance of perceived client and therapist motivation. *Psychology of Addictive Behaviors*, 12, 93–100.