



BLAST+ Release Notes

Christiam Camacho¹ and Tom Madden²

Created: March 12, 2013; Updated: October 24, 2023.

BLAST+ 2.15.0: October 31, 2023

New features

- You can limit your search by a non-leaf taxID (e.g., all bacteria) without running a helper script.
- BLAST now selects the best threading mode (i.e., sets `-mt_mode` option) based on your query and database for BLASTN, BLASTP, BLASTX, and TBLASTN.

Improvements

- Optimized batch size for `blastx-fast` for smaller databases (e.g., Swiss-Prot) and many queries to make it 7% faster.
- Improved the error message shown if the LMDB file (part of BLAST database) cannot be opened (mentions file).
- `update_blastdb.pl` will use at most 25% of the CPUs on a machine when downloading from the cloud (adjustable with an option).

Bug fixes

- Fixed a megaBLAST crash in two-hit mode.
- Fixed a TBLASTN crash with very short database sequences and a taxonomy limit.

BLAST+ 2.14.0: April 25, 2023

New features

- BLASTP, BLASTX, and TBLASTN are now quicker when you use the "fast" tasks with a command-line argument like `"-task blastp-fast"`. You can search the non-redundant protein database(nr) over 20% faster than before. Smaller databases like swissprot or pdbaa will be 2-3 times faster.

Improvements

- A FASTA file that cannot be validated by `makeblastdb` is now a warning and not an error.
- `Update_blastdb.pl` uses `curl` on a mac to download BLASTDB files instead of a PERL module.
- An error is issued if the incompatible `-remote` and `-in_pssm` options are used together.
- A formatting pre-fetch error is no longer fatal, and BLAST will try to format the report.

Bug fixes

- Fixed an issue with a space before the database name that crashed the rpsblast executable.
- Fixed a multi-threading consistency issue with the -use_sw_tback option.
- Fixed an issue that crashed the blastn executable.
- Fixed an issue sorting results with composition-based statistics.
- Fixed an exit code issue with update_blast.pl
- Corrected the expect value setting for blastn-short task
- Fixed an issue with sstrand in tabular formats with the tblastn executable.

BLAST+ 2.13.0: March 11, 2022

New features

- Blastn_vdb and tblastn_vdb included in the 2.13.0 release.
- Makeblastdb now produces a (JSON) metadata file about the database. This makes BLAST databases more Findable in the FAIR sense. See [here](#) for details.

Improvements

- TBLASTN can now handle database sequences up to 2 billion bases (was 1 billion)
- Makeblastdb default volume size is now 3 billion bases (was 1 billion)
- Dustmasker has a new option to replace low complexity regions with N's (hard masking)
- Makeblastdb will issue an error message and exit if it encounters a sequence longer than the maximum supported size (2,147,483,647 letters).

Bug fixes

- Rare problem with mutex that caused BLAST to crash.
- Memory leaks.

BLAST+ 2.12.0: June 28, 2021

For this release, we have performed a major restructuring of the module that reads the BLAST databases. For multithreaded searches, these changes reduce the number of mutex calls, result in the use of fewer file pointers, and reduce the number of calls to memory map. These changes also allow us to support a different threading model (“threading by query”) that can be more efficient in some situations. See <https://www.ncbi.nlm.nih.gov/books/NBK571452/> for more information.

NOTE: The NCBI is preparing to use a larger numerical range for its GI identifier. This release provides full support for these GI's that will appear in nucleotide databases later this year.

New features

- Threading by query batch (for BLASTN, BLASTP, BLASTX, RPSBLAST, and RPSTBLASTN) may more efficiently BLAST large numbers of queries, especially if the database is small or the search is limited by taxid. Use "-mt_mode 1" to enable this option.
- Makeblastdb requires less virtual memory for smaller databases.
- Makeprofiledb creates multiple volumes for a CDD database, which allows RPSBLAST to handle a larger number of records. The number of SMP files included in a volume can be controlled with the new -new_smp_vol option.
- update_blastdb.pl now supports the "-showall pretty" option for databases hosted at the NCBI.

- `update_blastdb.pl` now reports the database timestamp in ISO8601 format.

Bug fixes

- Fixed phiblast core dump when `-subject` option is used.
- Fixed memory leak in setup procedures.

BLAST+ 2.11.0: October 19, 2020

New features

- Usage reporting - Help improve BLAST by sharing limited information about your search. Details on the information collected, how it is used, and how to opt-out at <https://www.ncbi.nlm.nih.gov/books/NBK309243>
- Threading by query batch for `rpsblast/rpstblast` can BLAST large numbers of queries faster. For large numbers of queries, use the `-mt` option to more efficiently multi-thread the search.

Bug fixes

- Fix slowdown in TBLASTN searches run without composition-based statistics on long database sequences.
- Remove necessity of a network connection for `blast_formatter`. This also speeds up `blast_formatter` if the database can be found locally.
- A core dump for RPSBLAST and RPSTBLASTN has been fixed.
- `Makeblastdb` for windows has been fixed to not require as much virtual memory and to not produce overly large LMDB files.

BLAST+ 2.10.1: June 8, 2020

Bug fixes

- Fix for TBLASTN Multi-Threading bug.

BLAST+ 2.10.0: December 16, 2019

New features

- Enhancements to composition-based statistics to ensure the consistency of matches if fewer than the default number of matches is selected. Read about the details in the “[Outline of the BLAST process](#)” section of the BLAST+ user manual appendix.
- Adaptive composition-based statistics may process more sequences in the CBS stage of BLAST if many matches have a similar score, increasing the likelihood of finding novel results. To enable: set the environment variable `ADAPTIVE_CBS` to 1. This is an experimental feature and your feedback is welcome.
- Default BLAST database version changes:
 - `makeblastdb` generates BLAST databases in version 5 format.
 - New script to clean up BLAST database volumes (`cleanup-blastdb-volumes.py`).
 - Add support for genetic code 33 for `blastx` and `rpstblastn`.

Improvements

- Better error messages for `-taxids` argument.

- Consistent error reporting in `get_species_taxids.sh` to standard error.

Bug fixes

- Restore sum statistics (`-sum_stat` parameter) for BLASTN.
- Fix Blast-archive generation/ingestion when `subject_besthits` flag is used.
- Fix problem with empty lines in files provided to the `taxidlist` argument.
- Fix `blastdb_aliastool` input file size overflow problem.
- Fix `blastdb_aliastool` problem in Windows with binary GI list files.
- Fix search failures using `-remote` option in BLAST+ 2.9.0.
- Fix reading from standard input in Windows.
- Fix missing space in descriptions define.
- Fix HTML BLAST report to include version in accession anchors.
- Fix segmentation fault in tabular BLAST output format when sequences have no define.
- Fix to prevent generation of local Seq-IDs in Seq-align output format when accessions are available.
- Fix `blast_formatter` output when searches are limited by taxonomy.

BLAST+ 2.9.0: April 1, 2019

New features

- Support for PDB biopolymer chain identifiers up to four-characters long in BLASTDB version 5 (not supported in BLASTDB version 4).
- Configurable output separator for tabular and CSV output formats (see [manual entry](#)).

Improvements

- Better error messages in `get_species_taxids.sh`.
- Fix memory leaks in BLAST libraries and unit tests.

Bug fixes

- Fix taxID filtering combined with mask-based alias BLAST databases.
- Fix ordering of sequence IDs in BLAST report.

BLAST+ 2.8.1: December 13, 2018

NOTE: First production release to support the new BLAST database version (BLASTDBv5). This is a taxonomically aware version of the BLAST database. See notes at <https://ftp.ncbi.nlm.nih.gov/blast/db/v5/blastdbv5.pdf>

Improvements

- A new option (`-subject_besthit`) culls HSPs on a per subject sequence basis by removing HSPs that are completely enveloped by another HSP. This is an experimental option and is subject to change.
- Allow use of the `-max_target_seqs` option for formats 0-4. The number of alignments and descriptions will be set to the `max_target_seqs`.
- Issue a warning if `-max_target_seqs` is set to less than five.

Bug fixes

- Disabled an overly aggressive optimization that caused problems mentioned by Shah et al. in <https://www.ncbi.nlm.nih.gov/pubmed/30247621>.
- Fixed an invalid memory error that occurred when [composition-based statistics](#) and [SEG](#) were used.
- Fixed some memory problems with the culling option.
- Nucleotide scores for even rewards are no longer rounded down to an even number when displayed.
- Blastdbcmd now reports intervals in the output [FASTA](#) if a partial sequence is requested with the range option.

BLAST+ 2.8.0: March 28, 2018

NOTE: This is an alpha release to allow users to test and comment on new features

Improvements

- Support for a new version of the BLAST database that allows you to limit search by taxonomy as well some other improvements. See description at <https://ftp.ncbi.nlm.nih.gov/blast/db/v5/blastdbv5.pdf>.
- The 2GB output file size limit for makeblastdb has been increased to 4 GB.

Bug fixes

- Fix makeblastdb problem with producing spurious files with masking information.
- Fix a problem with being unable to retrieve taxonomy information for tabular output.

BLAST+ 2.7.1: October 23, 2017

Improvements

- Provided an upper limit on the number of threads for BLAST+ search applications.
- Improved performance of taxonomic name lookups.
- Fixed Mac installers so they are interoperable with other NCBI applications.
- Reduced the amount of locking in BLASTDB reading library (CSeqDB).

Bug fixes

- Fixed race condition when using [gilist](#) parameter.
- Fixed [culling_limit](#) bug with HSPs from different strands
- Fixed [dustmasker](#) bug with long region of Ns
- Fixed [bl2seq](#) problem with HTML output

Note: If building BLAST+ from source code, the [LMDB](#) library will be needed.

BLAST+ 2.6.0: January 09, 2017

New features

- Handle bare accessions on [blastdb_aliastool](#).
- Change defaults for output formats 6, 7, and 10 to incorporate version in accessions.

Improvements

- Add support for NCBI_DONT_USE_LOCAL_CONFIG and NCBI_DONT_USE_NCBIIRC environment variables.
- Better runtime performance in blastdbcmd when the entry_batch parameter is used.
- SAM output improvements.
- Changed gapped alignment starting point to minimize the chance to produce sub-optimal alignments.
- For custom matrices absent from the util/tables source file, use BLOSUM62 for reporting number of positives.
- Added long_seqids flag to blastdbcmd to use long (legacy) NCBI Seq-id format.

Bug fixes

- Fixed issue with missing alignments in blastx.
- Fixed problem processing accession.version in makeblastdb.
- Fixed blastdbcmd problem with local IDs.
- Removed memory leak for multi-threaded runs.
- Fixed blastdbcmd crash when listing all entries and a sequence has no title.

BLAST+ 2.5.0: September 12, 2016

New features

- Composition based statistics for rpstblastn.
- Added output format for taxonomic organism report.
- Support for bare accessions in FASTA and BLAST reports.

Improvements

- -remote option connects to NCBI via HTTPS. This adds a dependency on GNUTLS (see <https://www.ncbi.nlm.nih.gov/books/NBK279690/>)
- Pre-fetch sequences for formatting.

Bug fixes

- Fixed improper functioning of output format 6 tokens ssciname, staxid, sscinames and staxids.
- tblastn core-dumps in multi-threaded mode.
- Ensure stable sorting of results in multi-threaded mode.
- Fixed incorrect percent identity in tabular format for sequences containing selenocysteine.

BLAST+ 2.4.0: June 02, 2016

New features

- Introduced multi-threaded traceback for blastp, blastx, tblastn and tblastx.
- Added new tabular format specifiers for taxonomic information (staxid, ssciname, scomname, sblastname, skingdom) that correspond to the first subject ID.

Improvements

- Speed up makeblastdb runtime performance with input consisting of many ambiguities.
- Better support for 'bare' IDs in taxid_map option to makeblastdb.

- Score U (selenocysteine) as C (not X) in protein-protein and translated searches.

Bug fixes

- Corrected E-value computation in finite-size correction.
- Removed memory leak from rpsblast.
- Made handling of ambiguities in subjects identical when using FASTA and BLAST database inputs.
- makeblastdb no longer replaces tabs in definition line by '#'.
- Corrected problem with spaces in database names on windows.
- Corrected handling of subject_loc.

BLAST+ 2.3.0: December 21, 2015

New features

- Added new PSIBLAST command line options to support saving PSSM and checkpoint files for each iteration and calculate checkpoint and PSSM for the last iteration.
- Added unique subject sequence query coverage to tabular output.
- Added support single file JSON and XML2 Blast output format.
- Beta release of SAM output format.
- Treat N subject sequences, entered with the -subject argument (bl2seq mode), as one search set rather than N sets.

Improvements

- makeblastdb ignores and warns users about empty sequences in input.
- BLAST+ only accepts "obinary" windowmasker files for performance reasons.

Bug fixes

- Best hits processing multi-threaded context.
- Fixed memory leak when invoking composition based statistics with an argument of 2.
- Return non-zero exit code when failing to write output file.
- Use relative paths in XInclude file for multi-file XML2 output format.
- Fixed memory leak in blastx.
- Fixed inconsistent XML2 output to standard output vs. file.
- Fixed psiblast incorrectly processing large input MSA.
- Fixed bug when running BLAST+ on windows with multiple threads.

BLAST+ 2.2.31: May 18, 2015

New features

- Added support for BLAST-XML2 specification.
- Added support for JSON Blast output format.

Improvements

- Improved adaptive batch size algorithm to better handle small databases.
- Preface error/warning message(s) with name of the application.
- Allow multiple deflines even without GIs.
- Download more concise database information for -remote searches.

Bug fixes

- Fixed problem with makeblastdb's `-max_file_sz`.
- Reenabled support for word size 5 in `tblastn`.
- Fixed memory initialization problems.
- Use score for sorting search results if `evalue` less than $1.0e-180$.

BLAST+ 2.2.30: October 6, 2014

New features

- Added `tblastn-fast`, `blastp-fast`, and `blastx-fast` tasks. These tasks make use of longer words as described by Shiryev et al. in <http://www.ncbi.nlm.nih.gov/pubmed/17921491>.
- Added new output option (`outfmt 12`) with Seq-Align in JSON.

Improvements

- Added new command line option `qcov_hsp_perc` that removes alignments below the specified query coverage.
- Added option `line_length` for the printing of alignment lengths (`outfmt 0-4`).
- Added larger gap penalties for PAM30 and PAM70 matrices.
- `psiblast` now accepts 0 for `num_iterations` to indicate iterating until convergence.
- `rpsblast` uses composition-based-statistics by default. Recover old behavior with `"-comp_based_stats F -seg yes"`.
- Improved `blastn` multithreading performance for many queries with small databases.
- Changed cmdline option `-sum_stats` (formerly `-sum_statistics`) from flag to boolean.

Bug fixes

- Fixed spurious messages when parsing FASTA input.
- Fixed `makeprofiledb` handling of PSSMs created from multiple sequence alignment.
- Fixed `makeblastdb` handling of '-' at the end of FASTA input.
- Fixed `windowmasker` segmentation fault when the incorrect window size is provided.
- Fixed problem with lower-case masking and large sequences.
- Fixed `makeblastdb` segmentation fault on duplicate seqids.
- Allow specification of scoring matrices in lower case letters.
- Fixed exit code when disk space is not available for the output file.
- Fixed problem with using seqids list from `-outfmt "6 sseqid"` as input with `-seqidlist`.
- Fixed bug with `culling_limit` that excludes top hit.
- Fixed bug with `max_target_seqs` not working with `psiblast`.

BLAST+ 2.2.29: January 3, 2014

Improvements

- Improved the criteria for segging subject sequences used in composition based statistics with protein and translated searches.
- Improved `blastn` batch query performance.
- Improved `blastdbcmd` performance when retrieving taxonomic data from the BLAST databases.
- `blastdb_aliastool` supports reading a list of BLASTDBs from a file.
- Source releases build optimized multi-threaded binaries by default.

- Multi-threaded traceback: provides performance improvement for nucleotide-nucleotide BLAST with large (>25k) queries.
- Made makeprofiledb error messages more user friendly.
- Ungapped BLAST no longer uses sum statistics by default. Recover old behavior with `-sum_statistics` flag.
- Improved multithreading by better dividing the BLAST database among threads.

Bug fixes

- Allow `update_blastdb.pl` to work with databases containing more than 100 volumes.
- `makeblastdb` provides error message when `-parse_seqids` is used and invalid FASTA is provided.
- ASCII PSSM output for `psiblast` and `deltablast` displays two-digit scores in a more readable manner.
- Fixed negative percent identity in tabular output format
- Removed `-num_threads` option for binaries built without multi-threading.
- Fixed `deltablast` failures when searching multiple queries against multiple subject sequences.
- Fixed `segmasker` exception on example from BLAST cookbook.
- Fixed bogus warning about indexed megablast when using import search strategies.
- Fixed missing hits when running `blastn` with multiple queries, word size 7, large `evalue`, and no low complexity filtering.
- Fixed handling of gaps in ASN.1 input.
- Fixed `Statistics_hsp-len` value of 0 in XML output from `blast_formatter`.
- Fixed incorrect query coverage computation when sequence range was specified.
- Tabular output no longer ignores the `-db_gencode` argument.
- Fixed missing query sequence data in BLAST archive when `-parse_deflines` and FASTA with gnl ID was provided.
- Produce one XML document from BLAST archive.
- Removed 100 volume restriction in `blastdb_aliastool -num_volumes`.
- Fixed caption for 'query coverage' in tabular output format.
- Approximate gapped alignment in `blastp` is turned on/off for each query individually.
- Fixed query genetic code option.

BLAST+ 2.2.28: March 19, 2013

New features

- Composition based statistics support in `rpsblast`
- Support for query coverage, subject sequence title, and taxonomy data in custom tabular output format
- `blastdbcmd` support for batch subsequence retrieval

Improvements

- Adaptive `BATCH_SIZE`
- Perform incremental XML output

Bug fixes

- Formatting of asterix character in XML output
- Segmentation fault on out-of-memory
- Prevented extension of alignment into Ns
- Segmentation fault in DeltaBLAST when used with `-remote` and `-out_ascii_pssm`
- Replace tabs with spaces in FASTA deflines
- `blastdbcmd` displaying internal sequence ID for databases built without `-parse_seqid`

- blastdbcmd not fetching sequence data for complete sequence ID and -target_only
- blastn missing a hit for small word sizes
- Crash in blastn when it fetches sequence data from Genbank
- DeltaBLAST returning no hits when used with -remote option and searching more than one query
- Initialization problems for indexed megablast
- psiblast problem using -import_search_strategy
- blast_formatter displaying empty query for DeltaBLAST RID
- makeblastdb problem with ASN.1 input
- dustmasker errors with acclist and maskinfo_xml output formats
- blastx reporting of HSPs dependent on -max_target_seqs
- psiblast's display of number of queries in tabular output format
- blastx error when -ungapped and -comp_based_stats F are used

BLAST+ 2.2.27: September 10, 2012

New features

- Composition-based statistics for blastx.
- Added seedtop - a tool for searching for patterns in an input sequence or BLAST database.
- Enable remote DELTA-BLAST searches.

Improvements

- Revamped controls for the number of alignments/descriptions so that they are specific to applicable output formats (see user manual for details).
- Reduce memory usage for BLAST searches that involve (large) multiple queries.
- Speed up start-up times for BLAST databases.
- Display of new statistical parameters have been added to the BLAST results.
- Speed up runtime performance of tabular output formatting.
- Improve the placement of gaps in MegaBLAST

Bug fixes

- Fixed formatting bug when GI input format is provided to blastn.
- Fixed incorrect composition-statistics default for DELTA-BLAST.
- Bug fixes in blast_formatter, blastdbcmd.
- An asterix (stop-codon) in sequence was not rendered properly.
- The Smith-Waterman option in blastp would cause seg filtering on the subject sequence even if the composition-based statistics were not being used.
- The makeblastdb taxid_map option is broken.

BLAST+ 2.2.26: January 31, 2012

New features

- Mac executables are now Universal Binaries for 32- and 64-bit architectures; we no longer produce PPC and Intel Universal binaries. The executable archive names remain unchanged.
- Added DELTA-BLAST - a new tool for sensitive protein searches
- Added makeprofiledb - a tool for creating a database for RPS-BLAST

Improvements

- The `blast_formatter` application can now format `bl2seq` RIDs.
- PSI-BLAST can produce archive format, `blast_formatter` can format that output.
- PSI-BLAST has two new options that work with multiple-sequence alignments: `ignore_msa_master` and `msa_master_idx` (see BLAST+ manual).
- `mkmbindex` can now create masked indices from a BLAST database and ASN.1 masking data.
- An improved finite size correction is now used for `blastp/blastx/tblastn/rpsblast`.
- The FSC is subtracted from the query and database sequence length for the calculation of the expect value. The new FSC results in more accurate expect values, especially for alignments with a short query or target sequence. Re-enable the old size correction by setting the environment variable `OLD_FSC` to a non-NULL value.
- The `blastdbcmd -range` parameter now accepts a blank value for the second parameter to signify the end of a sequence (e.g., `-range "100-"`)
- There was a performance improvement for long database sequences in results with many matches.

Bug fixes

- There was a `blastn` problem if `subject_loc` and `lcase_masking` were used together.
- There was a problem with multi-threaded `blastx` if the query included a long (10,000+) sequence of N's.
- The percent identity calculation was wrong if the best-hit algorithm was used.
- There was a problem with the multiple BLAST database statistics report in XML format.
- `Makeblastdb` failed to return an error when input was not available.
- The formatting option `-outfmt "7 nident"` always printed zero.
- The search strategy was not properly saving the `-db_soft_mask` option.
- An error message was emitted if there was a "<" in the query title.
- A problem reading lower-case masking from the query could cause a search to fail.

BLAST+ 2.2.26: March 15, 2011

New features

- Enhanced documentation, includes simplified setup instructions, available at
- <http://www.ncbi.nlm.nih.gov/books/NBK1762>

Improvements

- Added support for hard-masking of BLAST databases.
- Improve performance of `makeblastdb` for FASTA input with large numbers of sequences, improve error checking.
- Allow Best Hit options and XML formatting for `Blast2Sequences` mode
- Allow multiple query sequences for `psiblast`.
- Allow specification of any multiple sequence alignment sequence as the master with the `-in_msa psiblast` argument.
- Add an optional `-input_type` argument to `makeblastdb`.
- Added support for query and subject length to tabular output.
- Performance of `-seqidlist` argument improved.
- The minimum of the number of descriptions and alignments is now used for tabular and XML output (consistent with the behavior of the older `blastall` applications).

Bug fixes

- Makeblastdb and blastdbcmd problems with parsing, storing, and retrieving sequence identifiers.
- Missing subject identifiers in tabular output.
- Blast_formatter ignoring -num_alignments and -num_descriptions
- Blast archive format could be saved incorrectly with multiple queries.
- Blast_formatter established an unneeded network connection.
- Blast_formatter did not save masking information correctly.
- Rpstblastn might crash if searching many sequences.
- Indexed megablast would not run in multi-threaded mode.
- Query title in the PSSM saved by psiblast was not being stored.
- Possible failure to run in multi-threaded mode with multiple queries or large database sequences.
- Tblastn runs with database masking might miss matches.

BLAST+ 2.2.24 bug fix release: October 30, 2010

Bug fixes

- Improved makeblastdb performance and taxid_map option
- Fixed segmentation faults on blastn and megablast
- Fixed truncated output for sequence input with extra spaces in the define
- Fixed problem with MacOSX binaries on MacOSX 10.5

BLAST+ 2.2.24: August 2, 2010

- Added support for BLAST Archive format (see BLAST+ user manual)
- Added the blast_formatter application (see BLAST+ user manual)
- Added support for translated subject soft masking in the BLAST databases
- Added support for the BLAST Trace-back operations (btop) output format
- Added command line options to blastdbcmd for listing available BLAST databases
- Improved performance of formatting of remote BLAST searches
- Use a consistent exit code for out of memory conditions
- Fixed bug in indexed megablast with multiple space-separated BLAST databases
- Fixed bugs in legacy_blast.pl, blastdbcmd, rpsblast, and makeblastdb
- Fixed Windows installer for 64-bit installations

BLAST+ 2.2.23: Feb 03, 2010

- Bug fix for tabular output formatting involving BLAST databases that do not have parseable defines.
- Fixed problem displaying accessions in XML output format.
- Prevent collisions between queries and subject sequences with local identifiers.
- Fixed megablast performance regression when used with query masking.
- Fixed seg filtering failure for blastx and genomic sequences.
- Implemented saving search strategies in bl2seq mode.
- Fixed bug in tabular output format with qseq, sseq, pident and ppos keywords.
- Fixed bug with blastp-short task.
- Fixed blastdbcmd retrieval of taxids for BLAST databases without GIs.
- Added makeblastdb support for adding masking information to existing BLAST databases.

BLAST+ 2.2.22 Internal bug fix release: November 02, 2009

- Fix issue dealing with opening BLAST databases which contain references to a BLAST database specified with a relative path.
- Prevent collisions between queries and subject sequences with local identifiers

BLAST+ 2.2.22: Sep 27, 2009

- Added `entrez_query` command line option for restricting BLAST databases.
- Added support for `psi-tblastn` to the `tblastn` command line application via the `-in_pssm` option.
- Improved documentation for subject masking feature in user manual.
- User interface improvements to `windowmasker`.
- Made the specification of BLAST databases to resolve GIs/accessions configurable.
- `update_blastdb.pl` downloads and checks BLAST database MD5 checksum files.
- Allowing long words with `blastp`.
- Added support for overriding megablast index when importing search strategy files.
- Added support for best-hit algorithm parameters in strategy files.
- Bug fixes in `blastx` and `tblastn` with genomic sequences, subject masking, `blastdbcheck`, and the SEG filtering algorithm.

BLAST+ 2.2.21: May 27, 2009

- Added support for Best-Hit algorithm.
- Added support for `-in_msa psiblast` option.
- Performance improvements and bug fixes to subject soft masking feature (note: the file format for the files containing the masking information has changed in a non-backwards compatible way).
- Changed command line option to specify single soft masking algorithm to mask BLAST databases from `-mask_subjects` to `-db_soft_mask`.
- Masked FASTA and subject masks can be obtained via `blastdbcmd`.
- Improved error messages when `makeblastdb` processes masking information.
- Bug fixes in tabular output for translated searches.
- Bug fixes to `makeblastdb`.
- Bug fixes to search strategies and megablast.
- Bug fixes to XML output.
- Bug fixes and performance improvements to multi-threaded execution.
- Bug fixes to lower case masking in `blastx`.
- Bug fixes to ungapped searches.
- Added support for smaller lookup tables for small queries.
- Added support for partial sequence fetching during traceback.
- Fixed the 2-hit algorithm so that no overlap between two hits is allowed.
- Implemented a new method to compute effective observations and new entropy-based method to compute column-specific pseudocounts in PSI-BLAST.
- Remote BLAST database data loader is used as a fallback if local BLAST databases cannot be found.
- Bug fixes, improved error messages, and support for ASN.1 input in `makeblastdb`.
- Bug fixes and performance improvements to subject masking feature.
- Added the `update_blastdb.pl` script
- Updated BLAST+ user manual with documentation about configuring BLAST, automatic resolution of sequence identifiers, and a description of how the BLAST databases are searched.

BLAST+ 2.2.19: November 03, 2008

- Made sequence ID/title display uniform in sequence filtering applications.
- Fixed incorrect display of filtering options in XML output.
- Fixed handling of empty sequences in BLAST input.
- Fixed negative strand handling for tblastn/tblastx.

BLAST+ 2.2.18: October 14, 2008

- Added update_blastdb.pl script to distribution of BLAST+ command line applications.
- Changed a few PSI-BLAST constants for pseudo-counts.
- Bug fix in blastdbcmd to distinguish non-redundant sequence titles.
- Bug fix to display BLAST database information remotely from outside NCBI for XML output.

BLAST+ 2.2.17 internal release: September 24, 2008

- Fix to prevent initial seed extension from going beyond context boundary.
- Improvements to reduce memory usage when query splitting is applied.
- Print the accession and version for blastdbcmd's %a output format.
- gilists/negative gilists are not saved in search strategies or supported in remote blast searches.
- legacy_blast.pl fixed for MacOSX, as well as extended support for megablast formatting options (-D, -f).
- Enhancements to Mac installer to add installation path to user's PATH.
- ASN.1 output is now of type Seq-annot.
- -lcase_masking option now applies to subject sequences as well as queries.
- Bug fix for creation of masked databases with non-redundant sequences that use a BLAST database as its data source.
- Bug fix for merging masking locations.

BLAST+ 2.2.16 internal release: August 21, 2008

- First internal release