



## Polycarbophil

Revised: January 7, 2019.

CASRN: 9003-97-8

### Drug Levels and Effects

#### Summary of Use during Lactation

No published experience exists with polycarbophil calcium during breastfeeding. However, the drug is not absorbed from the gastrointestinal tract, so it cannot enter the breastmilk. No special precautions are required.

#### Drug Levels

*Maternal Levels.* Relevant published information was not found as of the revision date.

*Infant Levels.* Relevant published information was not found as of the revision date.

#### Effects in Breastfed Infants

Relevant published information was not found as of the revision date.

#### Effects on Lactation and Breastmilk

Relevant published information was not found as of the revision date.

#### Alternate Drugs to Consider

(Constipation) Bisacodyl, Docusate, Magnesium Hydroxide, Psyllium, Sodium Phosphate

### Substance Identification

#### Substance Name

Polycarbophil

**Disclaimer:** Information presented in this database is not meant as a substitute for professional judgment. You should consult your healthcare provider for breastfeeding advice related to your particular situation. The U.S. government does not warrant or assume any liability or responsibility for the accuracy or completeness of the information on this Site.

**Attribution Statement:** LactMed is a registered trademark of the U.S. Department of Health and Human Services.

## CAS Registry Number

9003-97-8

## Drug Class

Breastfeeding

Lactation

Gastrointestinal Agents

Antidiarrheals

Laxatives