



Lanthanum Carbonate

Revised: November 16, 2020.

CASRN: 54451-24-0

SID:

Drug Levels and Effects

Summary of Use during Lactation

No information is available on the use of lanthanum carbonate during breastfeeding in humans. In animal studies, lanthanum was deposited in the bones of juvenile animals. Lanthanum carbonate should not be used in nursing mothers. An alternate drug is recommended.

Drug Levels

Maternal Levels. Relevant published information was not found as of the revision date.

Infant Levels. Relevant published information was not found as of the revision date.

Effects in Breastfed Infants

Relevant published information was not found as of the revision date.

Effects on Lactation and Breastmilk

Relevant published information was not found as of the revision date.

Alternate Drugs to Consider

Aluminum Hydroxide, Calcium Acetate, Calcium Carbonate, Ferric Citrate, Sevelamer, Sucroferric Oxyhydroxide

Disclaimer: Information presented in this database is not meant as a substitute for professional judgment. You should consult your healthcare provider for breastfeeding advice related to your particular situation. The U.S. government does not warrant or assume any liability or responsibility for the accuracy or completeness of the information on this Site.

Attribution Statement: LactMed is a registered trademark of the U.S. Department of Health and Human Services.

Substance Identification

Substance Name

Lanthanum Carbonate

CAS Registry Number

54451-24-0

Drug Class

Breast Feeding

Lactation