

Supplemental Table S3c. Completion of indicated evaluations (missing evaluations excluded)

Total evaluations: Celiac screen, Sleep study, Thyroid test, Audiogram, Ophthalmology	Randomized Group			Difference Control v. DSC2U (95% Confidence Interval)	P-value
	Overall (N = 216)	Control (N = 111)	DSC2U (N = 105)		
Indicated evaluations	1.50±1.06 (0.00,5.00)	1.53±1.03 (0.00,4.00)	1.46±1.09 (0.00,5.00)	0.074 (-0.21, 0.358)	0.606
Indicated evaluations that were recommended or completed	0.46±0.65 (0.00,3.00)	0.33±0.53 (0.00,2.00)	0.59±0.74 (0.00,3.00)	-0.26 (-0.43, -0.09)	0.004**
Indicated evaluations that were completed	0.35±0.59 (0.00,3.00)	0.27±0.47 (0.00,2.00)	0.43±0.69 (0.00,3.00)	-0.16 (-0.32, -0.00)	0.049*
Evaluations that were not indicated and completed	1.87±1.33 (0.00,5.00)	1.65±1.33 (0.00,5.00)	2.10±1.29 (0.00,5.00)	-0.46 (-0.81, -0.10)	0.011*

Notes:

P-values from two-sample t-tests. *P-value <0.05, ** p-value <0.01, *** p-value <0.001