

S14: Supplemental Table S9. Regression analysis – spearman rank correlations

Outcome	Predictor	N	Correlation	95% Confidence Interval		Nom P- value ^{¶¶}	Adj P value ^{##}	Full Adj P- value
				Lower	Upper			
Number of indicated evaluations that were recommended or completed	Person with DS: age at baseline survey	216	-0.094	-0.225	0.040	0.167	1.000	1.000
	Person with DS: sex	216	-0.023	-0.156	0.111	0.736	1.000	1.000
	Person with DS: race	213	0.004	-0.131	0.138	0.955	1.000	1.000
	Person with DS: ethnicity	213	0.044	-0.091	0.177	0.522	1.000	1.000
	Person with DS: primary Insurance at Randomization	216	-0.059	-0.191	0.075	0.390	1.000	1.000
	Caregiver: PedsQL Psychosocial Health Score [*]	215	0.027	-0.107	0.160	0.695	1.000	1.000
	Caregiver: PedsQL Physical Functioning Score [†]	215	0.021	-0.113	0.154	0.761	1.000	1.000
	Caregiver: PedsQL Total Scale Score [‡]	216	0.020	-0.114	0.153	0.771	1.000	1.000
	Caregiver: age at baseline survey	213	-0.063	-0.196	0.072	0.358	1.000	1.000
	Caregiver: gender	216	-0.070	-0.201	0.065	0.308	1.000	1.000
	Caregiver: race	213	0.032	-0.103	0.166	0.639	1.000	1.000
	Caregiver: ethnicity	215	-0.016	-0.149	0.118	0.819	1.000	1.000
	Caregiver relation to person with DS	216	-0.122	-0.251	0.012	0.073	1.000	1.000
	Caregiver educational level	216	-0.141	-0.270	-0.008	0.038	1.000	1.000
	Caregiver marital status?	216	-0.050	-0.182	0.084	0.462	1.000	1.000
	Caregiver: PedsQL FIM Parental HRQL Summary Score [§]	216	-0.050	-0.182	0.084	0.462	1.000	1.000

Caregiver: PedsQL FIM Family Functioning Summary Score [¶]	216	-0.102	-0.233	0.032	0.134	1.000	1.000
Caregiver: PedsQL FIM Total Scale Score [#]	216	-0.063	-0.195	0.071	0.353	1.000	1.000
Caregiver: low health literacy ^{**}	216	-0.037	-0.169	0.097	0.593	1.000	1.000
Caregiver: low numeracy ^{††}	215	0.025	-0.109	0.159	0.711	1.000	1.000
Caregiver: time to travel to primary care provider	216	-0.059	-0.191	0.075	0.387	1.000	1.000
Caregiver: accessibility of routine blood tests	215	-0.094	-0.225	0.040	0.170	1.000	1.000
Caregiver: accessibility for referrals to physician specialist for consultation	215	-0.057	-0.189	0.078	0.409	1.000	1.000
Caregiver: accessibility to complex imaging (CT, MRI)	202	-0.048	-0.185	0.091	0.498	1.000	1.000
Caregiver: out of your pocket health care costs for all members of the household	201	-0.003	-0.142	0.135	0.963	1.000	1.000
Caregiver: HCAHPS ^{‡‡} top-level score (%)	206	0.055	-0.082	0.190	0.431	1.000	1.000
Caregiver: wellness visit rating ^{§§}	206	0.014	-0.123	0.151	0.840	1.000	1.000
PCP: gender	166	-0.010	-0.162	0.142	0.898	1.000	1.000
PCP: race	165	-0.089	-0.239	0.065	0.255	1.000	1.000
PCP: ethnicity	166	-0.059	-0.210	0.094	0.448	1.000	1.000
PCP role (e.g., MD, NP)	167	-0.036	-0.187	0.116	0.640	1.000	1.000
PCP specialty	167	0.037	-0.115	0.188	0.630	1.000	1.000
PCP: years in practice	165	-0.153	-0.299	-0.001	0.048	1.000	1.000
PCP: panel size	150	-0.038	-0.197	0.123	0.642	1.000	1.000
PCP: number of patients with DS	157	-0.047	-0.202	0.111	0.562	1.000	1.000
PCP: practice size	166	-0.013	-0.165	0.139	0.864	1.000	1.000
PCP: practice setting	165	0.045	-0.109	0.196	0.569	1.000	1.000

PCP: federally qualified community health center	167	-0.028	-0.179	0.124	0.718	1.000	1.000
PCP: difficulty obtaining Thyroid testing	167	-0.290	-0.424	-0.145	<.001	0.006	0.056
PCP: difficulty obtaining Celiac screening	167	-0.213	-0.354	-0.063	0.005	0.272	1.000
PCP: difficulty obtaining Audiogram	166	-0.051	-0.202	0.102	0.515	1.000	1.000
PCP: difficulty obtaining Sleep studies	167	0.004	-0.148	0.155	0.963	1.000	1.000
PCP: difficulty obtaining Ophthalmology assessment	166	0.049	-0.104	0.199	0.533	1.000	1.000
PCP: length of relationship with patient	159	-0.056	-0.210	0.100	0.480	1.000	1.000
PCP: familiarity with medical history	167	-0.070	-0.219	0.083	0.371	1.000	1.000
PCP: familiarity with psychosocial history	167	-0.046	-0.196	0.107	0.555	1.000	1.000
PCP: quality of communication with caregiver	167	0.036	-0.116	0.187	0.643	1.000	1.000
PCP: duration of most recent wellness visit	166	-0.004	-0.156	0.149	0.962	1.000	1.000
PCP: were you able to spend enough time with [name]?	166	0.038	-0.115	0.189	0.626	1.000	1.000
PCP: caregiver able to provide information	165	0.003	-0.150	0.155	0.972	1.000	1.000
PCP: did the caregiver talk about any concerns he/she had about [name]'s health?	163	0.195	0.042	0.338	0.012	0.604	1.000

How would you rate the Caregiver Checklist?	Person with DS: age at baseline survey	101	-0.002	-0.193	0.1948	0.982	1.000	1.000
	Person with DS: sex	101	-0.006	-0.201	0.190	0.956	1.000	1.000
	Person with DS: race	100	-0.018	-0.213	0.179	0.860	1.000	1.000
	Person with DS: ethnicity	100	0.234	0.039	0.412	0.018	0.912	1.000
	Person with DS: primary Insurance at Randomization	101	0.019	-0.177	0.214	0.848	1.000	1.000
	Caregiver: PedsQL Psychosocial Health Score*	100	-0.120	-0.309	0.078	0.232	1.000	1.000
	Caregiver: PedsQL Physical Functioning Score†	101	0.002	-0.194	0.197	0.986	1.000	1.000
	Caregiver: PedsQL Total Scale Score‡	101	-0.109	-0.298	0.089	0.278	1.000	1.000
	Caregiver: age at baseline survey	101	0.095	-0.103	0.285	0.345	1.000	1.000
	Caregiver: gender	101	0.089	-0.108	0.280	0.375	1.000	1.000
	Caregiver: race	100	-0.001	-0.198	0.195	0.990	1.000	1.000
	Caregiver: ethnicity	101	0.295	0.106	0.464	0.002	0.127	1.000
	Caregiver: how are you related to [name]?	101	-0.153	-0.338	0.044	0.126	1.000	1.000
	Caregiver: what is the highest level or grade of school that you have completed?	101	-0.127	-0.315	0.070	0.203	1.000	1.000
	Caregiver: what is your marital status?	101	0.033	-0.164	0.227	0.743	1.000	1.000
	Caregiver: PedsQL FIM Parental HRQL Summary Score§	101	-0.099	-0.289	0.098	0.323	1.000	1.000
	Caregiver: PedsQL FIM Family Functioning Summary Score¶	101	-0.039	-0.232	0.158	0.700	1.000	1.000
	Caregiver: PedsQL FIM Total Scale Score#	101	-0.063	-0.255	0.134	0.531	1.000	1.000

Caregiver: low health literacy**	101	-0.093	-0.284	0.104	0.351	1.000	1.000
Caregiver: low numeracy††	101	0.006	-0.189	0.201	0.951	1.000	1.000
Caregiver: time to travel to primary care provider	101	-0.084	-0.275	0.113	0.400	1.000	1.000
Caregiver: routine blood tests (blood counts, lead)	101	-0.075	-0.266	0.122	0.456	1.000	1.000
Caregiver: referral to physician specialist for consultation	100	-0.162	-0.348	0.035	0.105	1.000	1.000
Caregiver: complex imaging (CT, MRI)	95	-0.116	-0.311	0.087	0.260	1.000	1.000
Caregiver: out of your pocket health care costs for all members of the household	100	-0.011	-0.207	0.186	0.914	1.000	1.000
Caregiver: HCAHPS‡‡ top-level score (%)	101	0.209	0.015	0.389	0.034	1.000	1.000
Caregiver: wellness visit rating§§	101	0.215	0.021	0.394	0.029	1.000	1.000
PCP: gender	82	0.040	-0.178	0.255	0.718	1.000	1.000
PCP: race	82	0.089	-0.130	0.300	0.423	1.000	1.000
PCP: ethnicity	82	-0.047	-0.262	0.172	0.672	1.000	1.000
PCP: role (e.g., MD, NP)	81	-0.001	-0.220	0.217	0.990	1.000	1.000
PCP: specialty	82	-0.072	-0.285	0.147	0.517	1.000	1.000
PCP: years in practice	81	-0.052	-0.267	0.168	0.645	1.000	1.000
PCP: panel size	73	-0.089	-0.313	0.144	0.452	1.000	1.000
PCP: number of patients with DS	79	-0.099	-0.313	0.125	0.384	1.000	1.000
PCP: practice size	82	0.055	-0.164	0.269	0.624	1.000	1.000
PCP: practice setting	82	0.143	-0.076	0.349	0.197	1.000	1.000
PCP: federally qualified community health center	82	0.174	-0.044	0.377	0.115	1.000	1.000
PCP: difficulty obtaining Thyroid	82	0.147	-0.072	0.353	0.185	1.000	1.000

testing

	PCP: difficulty obtaining Celiac screening	82	0.136	-0.083	0.343	0.220	1.000	1.000
	PCP: difficulty obtaining Audiogram	82	-0.023	-0.239	0.195	0.839	1.000	1.000
	PCP: difficulty obtaining Sleep studies	82	0.029	-0.189	0.245	0.793	1.000	1.000
	PCP: difficulty obtaining Ophthalmology assessment	82	0.133	-0.086	0.340	0.231	1.000	1.000
	PCP: length of relationship with patient	75	-0.126	-0.343	0.104	0.280	1.000	1.000
	PCP: familiarity with medical history	82	-0.007	-0.223	0.211	0.952	1.000	1.000
	PCP: familiarity with psychosocial history	82	0.089	-0.131	0.300	0.426	1.000	1.000
	PCP: quality of communication with caregiver	82	-0.034	-0.249	0.185	0.762	1.000	1.000
	PCP: duration of most recent wellness visit	82	0.095	-0.124	0.306	0.393	1.000	1.000
	PCP: were you able to spend enough time with [name]?	82	-0.027	-0.243	0.191	0.809	1.000	1.000
	PCP: caregiver able to provide information	81	0.178	-0.042	0.382	0.109	1.000	1.000
	PCP: did the caregiver talk to you about any concerns about [name]'s health?	81	0.091	-0.130	0.304	0.416	1.000	1.000
Would you recommend DSC2U to another	Person with DS: age at baseline survey	101	-0.027	-0.221	0.170	0.791	1.000	1.000
	Person with DS: sex	101	0.023	-0.174	0.217	0.822	1.000	1.000
	Person with DS: race	100	-0.017	-0.212	0.180	0.870	1.000	1.000

caregiver?	Person with DS: ethnicity	100	0.182	-0.015	0.365	0.069	1.000	1.000
	Person with DS: primary Insurance at Randomization	101	0.003	-0.193	0.198	0.977	1.000	1.000
	Caregiver: PedsQL Psychosocial Health Score*	100	-0.157	-0.343	0.040	0.116	1.000	1.000
	Caregiver: PedsQL Physical Functioning Score†	101	0.038	-0.159	0.231	0.708	1.000	1.000
	Caregiver: PedsQL Total Scale Score‡	101	-0.118	-0.306	0.080	0.240	1.000	1.000
	Caregiver: age at baseline survey	101	-0.038	-0.232	0.158	0.702	1.000	1.000
	Caregiver: gender	101	-0.026	-0.220	0.170	0.795	1.000	1.000
	Caregiver: race	100	0.062	-0.136	0.256	0.536	1.000	1.000
	Caregiver: ethnicity	101	0.164	-0.032	0.349	0.099	1.000	1.000
	Caregiver: how are you related to [name]?	101	0.041	-0.156	0.235	0.682	1.000	1.000
	Caregiver: what is the highest level or grade of school that you have completed?	101	0.030	-0.166	0.224	0.764	1.000	1.000
	Caregiver: what is your marital status?	101	-0.051	-0.244	0.146	0.614	1.000	1.000
	Caregiver: PedsQL FIM Parental HRQL Summary Score§	101	-0.102	-0.291	0.096	0.310	1.000	1.000
	Caregiver: PedsQL FIM Family Functioning Summary Score¶	101	-0.102	-0.291	0.096	0.309	1.000	1.000
	Caregiver: PedsQL FIM Total Scale Score#	101	-0.099	-0.289	0.098	0.323	1.000	1.000
	Caregiver: low health literacy**	101	-0.116	-0.305	0.081	0.246	1.000	1.000
	Caregiver: low numeracy††	101	0.032	-0.164	0.226	0.747	1.000	1.000
	Caregiver: time to travel to primary care provider	101	-0.103	-0.293	0.094	0.303	1.000	1.000

Caregiver: routine blood tests (blood counts, lead)	101	0.037	-0.160	0.230	0.716	1.000	1.000
Caregiver: referral to physician specialist for consultation	100	-0.124	-0.313	0.074	0.218	1.000	1.000
Caregiver: complex imaging (CT, MRI)	95	-0.146	-0.338	0.057	0.156	1.000	1.000
Caregiver: out of your pocket health care costs for all members of the household?	100	-0.103	-0.294	0.095	0.306	1.000	1.000
Caregiver: HCAHPS ^{††} top-level score (%)	101	0.140	-0.057	0.326	0.162	1.000	1.000
Caregiver: wellness visit rating ^{§§}	101	0.097	-0.100	0.287	0.331	1.000	1.000
PCP: gender	82	0.109	-0.110	0.319	0.326	1.000	1.000
PCP: race	82	0.144	-0.076	0.350	0.196	1.000	1.000
PCP: ethnicity	82	-0.031	-0.247	0.187	0.780	1.000	1.000
PCP: role (e.g., MD, NP)	81	0.097	-0.124	0.309	0.389	1.000	1.000
PCP: specialty	82	-0.091	-0.302	0.129	0.416	1.000	1.000
PCP: years in practice	81	0.011	-0.208	0.228	0.925	1.000	1.000
PCP: panel size	73	-0.122	-0.342	0.111	0.302	1.000	1.000
PCP: number of patients with DS	79	0.072	-0.151	0.289	0.525	1.000	1.000
PCP: practice size	82	-0.046	-0.260	0.173	0.684	1.000	1.000
PCP: practice setting	82	0.097	-0.123	0.307	0.386	1.000	1.000
PCP: federally qualified community health center	82	0.077	-0.142	0.290	0.488	1.000	1.000
PCP: difficulty obtaining Thyroid testing	82	0.003	-0.214	0.220	0.978	1.000	1.000
PCP: difficulty obtaining Celiac screening	82	-0.020	-0.236	0.198	0.858	1.000	1.000
PCP: difficulty obtaining Audiogram	82	-0.007	-0.223	0.211	0.951	1.000	1.000
PCP: difficulty obtaining Sleep studies	82	-0.105	-0.315	0.115	0.346	1.000	1.000
PCP: difficulty obtaining Ophthalmology assessment	82	0.062	-0.158	0.275	0.581	1.000	1.000

	PCP: length of relationship with patient	75	-0.124	-0.342	0.106	0.286	1.000	1.000
	PCP: familiarity with medical history	82	0.006	-0.211	0.223	0.959	1.000	1.000
	PCP: familiarity with psychosocial history	82	0.091	-0.128	0.302	0.413	1.000	1.000
	PCP: quality of communication with Caregiver	82	-0.177	-0.379	0.042	0.110	1.000	1.000
	PCP: duration of most recent wellness visit	82	0.076	-0.144	0.288	0.498	1.000	1.000
	PCP: were you able to spend enough time [name]?	82	-0.087	-0.298	0.133	0.438	1.000	1.000
	PCP: caregiver able to provide information	81	0.230	0.012	0.427	0.038	1.000	1.000
	PCP: did the caregiver talk about any concerns he/she had about [name]'s health?	81	0.176	-0.044	0.379	0.115	1.000	1.000
Would you re-read/re-use links in the Caregiver Checklist?	Person with DS: age at baseline survey	108	0.126	-0.065	0.308	0.192	1.000	1.000
	Person with DS: sex	108	-0.062	-0.248	0.129	0.524	1.000	1.000
	Person with DS: race	107	-0.022	-0.211	0.168	0.818	1.000	1.000
	Person with DS: ethnicity	107	-0.066	-0.253	0.126	0.499	1.000	1.000
	Person with DS: primary Insurance at Randomization	108	-0.007	-0.196	0.182	0.940	1.000	1.000
	Caregiver: PedsQL Psychosocial Health Score*	107	0.077	-0.114	0.263	0.426	1.000	1.000
	Caregiver: PedsQL Physical Functioning Score [†]	108	-0.037	-0.225	0.153	0.701	1.000	1.000
	Caregiver: PedsQL Total Scale Score [‡]	108	0.050	-0.140	0.237	0.606	1.000	1.000
	Caregiver: age at baseline survey	108	0.034	-0.156	0.222	0.725	1.000	1.000
	Caregiver: gender	108	0.004	-0.185	0.193	0.966	1.000	1.000
	Caregiver: race	107	-0.039	-0.227	0.152	0.690	1.000	1.000

Caregiver: ethnicity	108	-0.021	-0.209	0.169	0.830	1.000	1.000
Caregiver: how are you related to [name]?	108	-0.012	-0.201	0.177	0.898	1.000	1.000
Caregiver: what is the highest level or grade of school that you have completed?	108	-0.010	-0.199	0.179	0.918	1.000	1.000
Caregiver: what is your marital status?	108	0.037	-0.153	0.224	0.703	1.000	1.000
Caregiver: PedsQL FIM Parental HRQL Summary Score [§]	108	0.102	-0.089	0.285	0.293	1.000	1.000
Caregiver: PedsQL FIM Family Functioning Summary Score [¶]	108	0.072	-0.119	0.257	0.461	1.000	1.000
Caregiver: PedsQL FIM Total Scale Score [#]	108	0.100	-0.091	0.284	0.302	1.000	1.000
Caregiver: low health literacy ^{**}	108	0.029	-0.161	0.217	0.766	1.000	1.000
Caregiver: low numeracy ^{††}	108	0.028	-0.162	0.216	0.770	1.000	1.000
Caregiver: time to travel to primary care provider	108	0.092	-0.098	0.276	0.341	1.000	1.000
Caregiver: routine blood tests (blood counts, lead)	108	0.057	-0.133	0.244	0.554	1.000	1.000
Caregiver: referral to physician specialist for consultation	107	0.287	0.103	0.452	0.002	0.126	1.000
Caregiver: complex imaging (CT, MRI)	101	0.116	-0.081	0.305	0.245	1.000	1.000
Caregiver: out of your pocket health care costs for all members of the household?	107	-0.083	-0.268	0.109	0.395	1.000	1.000
Caregiver: HCAHPS ^{‡‡} top-level score (%)	108	0.055	-0.136	0.241	0.572	1.000	1.000
Caregiver: wellness visit rating ^{§§}	108	0.046	-0.144	0.233	0.636	1.000	1.000
PCP: gender	88	0.019	-0.191	0.228	0.857	1.000	1.000

PCP: race	88	0.009	-0.201	0.218	0.931	1.000	1.000
PCP: ethnicity	88	-0.005	-0.214	0.205	0.964	1.000	1.000
PCP: role (e.g., MD, NP)	87	0.217	0.007	0.409	0.042	1.000	1.000
PCP: specialty	88	0.125	-0.086	0.326	0.242	1.000	1.000
PCP: years in practice	87	-0.111	-0.314	0.102	0.306	1.000	1.000
PCP: panel size	78	0.037	-0.187	0.257	0.748	1.000	1.000
PCP: number of patients with DS	84	-0.036	-0.248	0.180	0.745	1.000	1.000
PCP: practice size	88	-0.107	-0.310	0.104	0.318	1.000	1.000
PCP: practice setting	87	-0.196	-0.390	0.015	0.067	1.000	1.000
PCP: federally qualified community health center	88	-0.003	-0.213	0.206	0.975	1.000	1.000
PCP: difficulty obtaining Thyroid testing	88	0.005	-0.204	0.215	0.959	1.000	1.000
PCP: difficulty obtaining Celiac screening	88	0.077	-0.135	0.281	0.477	1.000	1.000
PCP: difficulty obtaining Audiogram	88	0.017	-0.193	0.226	0.872	1.000	1.000
PCP: difficulty obtaining Sleep studies	88	0.119	-0.093	0.321	0.267	1.000	1.000
PCP: difficulty obtaining Ophthalmology assessment	88	0.034	-0.177	0.242	0.754	1.000	1.000
PCP: length of relationship with patient	80	0.185	-0.036	0.389	0.099	1.000	1.000
PCP: familiarity with medical history	88	-0.036	-0.243	0.175	0.742	1.000	1.000
PCP: familiarity with psychosocial history	88	-0.000	-0.210	0.209	0.999	1.000	1.000
PCP: quality of communication with caregiver	88	-0.090	-0.294	0.121	0.400	1.000	1.000
PCP: duration of most recent wellness visit	88	0.153	-0.058	0.351	0.152	1.000	1.000
PCP: were you able to spend enough time with [name]?	88	0.011	-0.199	0.220	0.916	1.000	1.000
PCP: caregiver able to provide information	87	-0.099	-0.303	0.114	0.361	1.000	1.000

	PCP: did the caregiver talk to you about any concerns he/she had about [name]'s health?	87	-0.080	-0.286	0.133	0.461	1.000	1.000
Would you complete the DSC2U intake form again?	Person with DS: age at baseline survey	108	0.115	-0.075	0.298	0.234	1.000	1.000
	Person with DS: sex	108	0.036	-0.154	0.224	0.710	1.000	1.000
	Person with DS: race	107	-0.062	-0.249	0.130	0.527	1.000	1.000
	Person with DS: ethnicity	107	0.017	-0.173	0.207	0.859	1.000	1.000
	Person with DS: primary Insurance at Randomization	108	-0.030	-0.217	0.160	0.760	1.000	1.000
	Caregiver: PedsQL Psychosocial Health Score [*]	107	0.093	-0.099	0.278	0.341	1.000	1.000
	Caregiver: PedsQL Physical Functioning Score [†]	108	-0.029	-0.217	0.161	0.762	1.000	1.000
	Caregiver: PedsQL Total Scale Score [‡]	108	0.043	-0.147	0.230	0.657	1.000	1.000
	Caregiver: age at baseline survey	108	0.105	-0.086	0.2848	0.278	1.000	1.000
	Caregiver: gender	108	-0.039	-0.226	0.151	0.687	1.000	1.000
	Caregiver: race	107	0.025	-0.166	0.214	0.799	1.000	1.000
	Caregiver: ethnicity	108	0.064	-0.127	0.249	0.513	1.000	1.000
	Caregiver: how are you related to [name]?	108	0.137	-0.053	0.318	0.155	1.000	1.000
	Caregiver: what is the highest level or grade of school that you have completed?	108	0.060	-0.130	0.246	0.535	1.000	1.000
	Caregiver: what is your marital status?	108	-0.023	-0.211	0.167	0.814	1.000	1.000
Caregiver: PedsQL FIM Parental HRQL Summary Score [§]	108	0.140	-0.050	0.321	0.146	1.000	1.000	
Caregiver: PedsQL FIM Family Functioning Summary Score [¶]	108	0.119	-0.072	0.301	0.220	1.000	1.000	
Caregiver: PedsQL FIM Total Scale Score [#]	108	0.152	-0.038	0.332	0.114	1.000	1.000	

Caregiver: low health literacy**	108	-0.132	-0.313	0.059	0.172	1.000	1.000
Caregiver: low numeracy††	108	-0.045	-0.232	0.145	0.642	1.000	1.000
Caregiver: time to travel to primary care provider	108	-0.007	-0.196	0.182	0.939	1.000	1.000
Caregiver: routine blood tests (blood counts, lead)	108	-0.003	-0.192	0.186	0.973	1.000	1.000
Caregiver: referral to physician specialist for consultation	107	0.081	-0.110	0.267	0.403	1.000	1.000
Caregiver: complex imaging (CT, MRI)	101	0.103	-0.094	0.293	0.302	1.000	1.000
Caregiver: out of your pocket health care costs for all members of the household?	107	0.085	-0.107	0.270	0.384	1.000	1.000
Caregiver: HCAHPS‡‡ top-level score (%)	108	0.050	-0.140	0.237	0.606	1.000	1.000
Caregiver: wellness visit rating§§	108	0.111	-0.080	0.294	0.252	1.000	1.000
PCP: gender	88	0.004	-0.205	0.213	0.969	1.000	1.000
PCP: race	88	-0.104	-0.307	0.107	0.331	1.000	1.000
PCP: ethnicity	88	-0.042	-0.249	0.169	0.699	1.000	1.000
PCP: role	87	0.142	-0.071	0.342	0.189	1.000	1.000
PCP: specialty	88	-0.028	-0.236	0.183	0.797	1.000	1.000
PCP: years in practice	87	-0.021	-0.231	0.190	0.845	1.000	1.000
PCP: panel size	78	-0.112	-0.327	0.113	0.326	1.000	1.000
PCP: number of patients with DS	84	-0.093	-0.302	0.123	0.396	1.000	1.000
PCP: practice size	88	0.028	-0.182	0.237	0.792	1.000	1.000
PCP: practice setting	87	-0.015	-0.225	0.196	0.890	1.000	1.000
PCP: federally qualified community health center	88	0.204	-0.006	0.397	0.055	1.000	1.000
PCP: difficulty obtaining Thyroid testing	88	0.223	0.014	0.413	0.035	1.000	1.000
PCP: difficulty obtaining Celiac screening	88	0.256	0.049	0.441	0.015	0.784	1.000

	PCP: difficulty obtaining Audiogram	88	0.109	-0.103	0.312	0.309	1.000	1.000
	PCP: difficulty obtaining Sleep studies	88	0.108	-0.104	0.310	0.316	1.000	1.000
	PCP: difficulty obtaining Ophthalmology assessment	88	0.061	-0.151	0.267	0.574	1.000	1.000
	PCP: length of relationship with patient	80	0.164	-0.058	0.370	0.145	1.000	1.000
	PCP: familiarity with medical history	88	0.003	-0.206	0.213	0.975	1.000	1.000
	PCP: familiarity with psychosocial history	88	0.013	-0.197	0.222	0.907	1.000	1.000
	PCP: quality of communication with caregiver	88	-0.079	-0.284	0.133	0.464	1.000	1.000
	PCP: duration of most recent wellness visit	88	-0.073	-0.279	0.138	0.495	1.000	1.000
	PCP: were you able to spend enough time with [name]?	88	-0.166	-0.363	0.045	0.120	1.000	1.000
	PCP: caregiver able to provide information	87	-0.142	-0.342	0.071	0.189	1.000	1.000
	PCP: did the caregiver talk to you about any concerns he/she had about [name]'s health?	87	-0.094	-0.299	0.119	0.384	1.000	1.000
PCPs: Did you discuss this Primary Care Plan or any of its recommendations ?	Person with DS: age at baseline survey	36	-0.070	-0.390	0.265	0.683	1.000	1.000
	Person with DS: sex	36	-0.096	-0.412	0.240	0.574	1.000	1.000
	Person with DS: race	36	0.000	-0.329	0.329	1.000	1.000	1.000
	Person with DS: ethnicity	36	-0.505	-0.715	-0.211	0.001	0.062	0.560
	Person with DS: primary Insurance at Randomization	36	-0.172	-0.473	0.166	0.312	1.000	1.000
	Caregiver: PedsQL Psychosocial Health Score*	36	-0.092	-0.408	0.244	0.593	1.000	1.000

Caregiver: PedsQL Physical Functioning Score [†]	36	0.175	-0.163	0.476	0.303	1.000	1.000
Caregiver: PedsQL Total Scale Score [‡]	36	0.079	-0.256	0.397	0.643	1.000	1.000
Caregiver: age at baseline survey	36	-0.155	-0.460	0.183	0.362	1.000	1.000
Caregiver: gender	36	0.165	-0.173	0.468	0.331	1.000	1.000
Caregiver: race	36	-0.138	-0.446	0.200	0.418	1.000	1.000
Caregiver: ethnicity	36	-0.505	-0.715	-0.211	0.001	0.062	0.560
Caregiver: how are you related to [name]?	36	-0.330	-0.594	-0.001	0.046	1.000	1.000
Caregiver: what is the highest level or grade of school that you have completed?	36	0.003	-0.326	0.331	0.985	1.000	1.000
Caregiver: what is your marital status?	36	0.005	-0.324	0.333	0.978	1.000	1.000
Caregiver: PedsQL FIM Parental HRQL Summary Score [§]	36	-0.235	-0.523	0.102	0.163	1.000	1.000
Caregiver: PedsQL FIM Family Functioning Summary Score [¶]	36	0.134	-0.203	0.443	0.431	1.000	1.000
Caregiver: PedsQL FIM Total Scale Score [#]	36	-0.018	-0.345	0.312	0.915	1.000	1.000
Caregiver: low health literacy ^{**}	36	-0.286	-0.562	0.047	0.086	1.000	1.000
Caregiver: low numeracy ^{††}	36	-0.110	-0.423	0.227	0.522	1.000	1.000
Caregiver: time to travel to primary care provider	36	-0.070	-0.389	0.265	0.683	1.000	1.000
Caregiver: routine blood tests (blood counts, lead)	36	-0.058	-0.380	0.276	0.734	1.000	1.000
Caregiver: referral to physician specialist for consultation	36	0.052	-0.282	0.374	0.763	1.000	1.000
Caregiver: complex imaging (CT, MRI)	34	0.051	-0.292	0.382	0.774	1.000	1.000

Caregiver: out of your pocket health care costs for all members of the household?	34	0.164	-0.184	0.476	0.348	1.000	1.000
Caregiver: HCAHPS ^{††} top-level score (%)	35	0.020	-0.315	0.351	0.907	1.000	1.000
Caregiver: wellness visit rating ^{§§}	35	0.102	-0.239	0.421	0.556	1.000	1.000
PCP: gender	36	0.063	-0.271	0.384	0.712	1.000	1.000
PCP: race	36	-0.085	-0.402	0.251	0.620	1.000	1.000
PCP: ethnicity	36	-0.138	-0.446	0.200	0.418	1.000	1.000
PCP: role	35	0.099	-0.242	0.419	0.567	1.000	1.000
PCP: specialty	36	-0.126	-0.436	0.212	0.462	1.000	1.000
PCP: years in practice	35	-0.016	-0.347	0.319	0.927	1.000	1.000
PCP: panel size	34	0.060	-0.284	0.390	0.736	1.000	1.000
PCP: number of patients with DS	36	0.149	-0.189	0.455	0.382	1.000	1.000
PCP: practice size	36	0.159	-0.179	0.463	0.350	1.000	1.000
PCP: practice setting	36	-0.026	-0.352	0.305	0.878	1.000	1.000
PCP: federally qualified community health center	36	-0.289	-0.564	0.044	0.083	1.000	1.000
PCP: difficulty obtaining Thyroid testing	36	-0.138	-0.446	0.200	0.418	1.000	1.000
PCP: difficulty obtaining Celiac screening	36	0.057	-0.277	0.379	0.739	1.000	1.000
PCP: difficulty obtaining Audiogram	36	0.042	-0.291	0.365	0.808	1.000	1.000
PCP: difficulty obtaining Sleep studies	36	-0.101	-0.416	0.235	0.554	1.000	1.000
PCP: difficulty obtaining Ophthalmology assessment	36	-0.030	-0.355	0.302	0.862	1.000	1.000
PCP: length of relationship with patient	33	0.072	-0.279	0.405	0.690	1.000	1.000
PCP: familiarity with medical history	36	-0.037	-0.361	0.296	0.831	1.000	1.000
PCP: familiarity with psychosocial history	36	0.042	-0.291	0.365	0.808	1.000	1.000

	PCP: quality of communication with caregiver	36	-0.217	-0.509	0.120	0.199	1.000	1.000
	PCP: duration of most recent wellness visit	36	0.443	0.134	0.674	0.006	0.274	1.000
	PCP: were you able to spend enough time with [name]?	36	0.040	-0.292	0.364	0.816	1.000	1.000
	PCP: caregiver able to provide information	36	0.289	-0.044	0.564	0.083	1.000	1.000
	PCP: did the caregiver talk to you about any concerns he/she had about [name]'s health?	36	0.289	-0.044	0.564	0.083	1.000	1.000
PCPs: Were you interested in any of the information in this Primary Care Plan?	Person with DS: age at baseline survey	35	-0.303	-0.578	0.0344	0.073	1.000	1.000
	Person with DS: sex	35	-0.127	-0.442	0.215	0.463	1.000	1.000
	Person with DS: race	35	-0.028	-0.358	0.308	0.872	1.000	1.000
	Person with DS: ethnicity	35	-0.280	-0.561	0.059	0.099	1.000	1.000
	Person with DS: primary Insurance at Randomization	35	0.019	-0.316	0.350	0.912	1.000	1.000
	Caregiver: PedsQL Psychosocial Health Score*	35	-0.003	-0.336	0.330	0.986	1.000	1.000
	Caregiver: PedsQL Physical Functioning Score†	35	-0.202	-0.502	0.141	0.239	1.000	1.000
	Caregiver: PedsQL Total Scale Score‡	35	-0.099	-0.418	0.242	0.569	1.000	1.000
	Caregiver: age at baseline survey	35	-0.210	-0.508	0.133	0.221	1.000	1.000
	Caregiver: gender	35	-0.064	-0.389	0.276	0.715	1.000	1.000
	Caregiver: race	35	0.115	-0.227	0.432	0.507	1.000	1.000
	Caregiver: ethnicity	35	-0.280	-0.561	0.059	0.099	1.000	1.000
	Caregiver: how are you related to [name]?	35	0.254	-0.087	0.541	0.136	1.000	1.000
Caregiver: what is the highest level or grade of school that you have completed?	35	0.277	-0.062	0.559	0.102	1.000	1.000	

Caregiver: what is your marital status?	35	0.009	-0.325	0.342	0.957	1.000	1.000
Caregiver: PedsQL FIM Parental HRQL Summary Score [§]	35	-0.102	-0.421	0.239	0.557	1.000	1.000
Caregiver: PedsQL FIM Family Functioning Summary Score [¶]	35	-0.099	-0.418	0.242	0.569	1.000	1.000
Caregiver: PedsQL FIM Total Scale Score [#]	35	-0.151	-0.461	0.192	0.381	1.000	1.000
Caregiver: low health literacy ^{**}	35	0.191	-0.152	0.493	0.267	1.000	1.000
Caregiver: low numeracy ^{††}	35	-0.061	-0.386	0.278	0.725	1.000	1.000
Caregiver: time to travel to primary care provider	35	-0.025	-0.356	0.310	0.884	1.000	1.000
Caregiver: routine blood tests (blood counts, lead)	35	0.162	-0.181	0.470	0.349	1.000	1.000
Caregiver: referral to physician specialist for consultation	35	0.218	-0.124	0.514	0.202	1.000	1.000
Caregiver: complex imaging (CT, MRI)	33	0.115	-0.238	0.441	0.521	1.000	1.000
Caregiver: out of your pocket health care costs for all members of the household?	33	0.237	-0.116	0.536	0.180	1.000	1.000
Caregiver: HCAHPS ^{**} top-level score (%)	34	0.082	-0.263	0.409	0.642	1.000	1.000
Caregiver: wellness visit rating ^{§§}	34	0.124	-0.224	0.443	0.482	1.000	1.000
PCP: gender	35	-0.018	-0.349	0.317	0.919	1.000	1.000
PCP: race	35	0.213	-0.130	0.510	0.215	1.000	1.000
PCP: ethnicity	35	0.153	-0.189	0.463	0.375	1.000	1.000
PCP: role	34	0.111	-0.236	0.433	0.530	1.000	1.000

PCP: specialty	35	-0.097	-0.416	0.244	0.578	1.000	1.000
PCP: years in practice	34	-0.059	-0.389	0.285	0.740	1.000	1.000
PCP: panel size	33	0.156	-0.198	0.474	0.382	1.000	1.000
PCP: number of patients with DS	35	0.050	-0.288	0.377	0.773	1.000	1.000
PCP: practice size	35	0.030	-0.307	0.359	0.865	1.000	1.000
PCP: practice setting	35	0.193	-0.150	0.494	0.262	1.000	1.000
PCP: federally qualified community health center	35	-0.267	-0.552	0.072	0.116	1.000	1.000
PCP: difficulty obtaining Thyroid testing	35	-0.153	-0.463	0.189	0.375	1.000	1.000
PCP: difficulty obtaining Celiac screening	35	0.032	-0.305	0.361	0.855	1.000	1.000
PCP: difficulty obtaining Audiogram	35	0.140	-0.202	0.452	0.417	1.000	1.000
PCP: difficulty obtaining Sleep studies	35	0.166	-0.177	0.473	0.337	1.000	1.000
PCP: difficulty obtaining Ophthalmology assessment	35	-0.087	-0.409	0.253	0.615	1.000	1.000
PCP: length of relationship with patient	32	-0.039	-0.383	0.314	0.829	1.000	1.000
PCP: familiarity with medical history	35	0.347	0.015	0.610	0.038	1.000	1.000
PCP: familiarity with psychosocial history	35	0.419	0.099	0.660	0.011	0.536	1.000
PCP: quality of communication with caregiver	35	-0.324	-0.594	0.010	0.053	1.000	1.000
PCP: duration of most recent wellness visit	35	0.133	-0.210	0.446	0.443	1.000	1.000
PCP: were you able to spend enough time with [name]?	35	0.000	-0.333	0.333	1.000	1.000	1.000
PCP: caregiver able to provide information	35	-0.107	-0.425	0.235	0.538	1.000	1.000
PCP: did the caregiver talk to you about any concerns he/she had about [name]'s health?	35	-0.107	-0.425	0.235	0.538	1.000	1.000

PCPs: Did you agree with the recommendations in the Primary Care plan?	Person with DS: age at baseline survey	33	-0.342	-0.603	-0.015	0.038	1.000	1.000
	Person with DS: sex	36	0.000	-0.329	0.329	1.000	1.000	1.000
	Person with DS: race	36	-0.103	-0.418	0.233	0.545	1.000	1.000
	Person with DS: ethnicity	36	0.000	-0.329	0.329	1.000	1.000	1.000
	Person with DS: primary Insurance at Randomization	36	0.118	-0.219	0.430	0.491	1.000	1.000
	Caregiver: PedsQL Psychosocial Health Score*	36	-0.025	-0.351	0.306	0.884	1.000	1.000
	Caregiver: PedsQL Physical Functioning Score†	36	-0.056	-0.377	0.278	0.745	1.000	1.000
	Caregiver: PedsQL Total Scale Score‡	36	-0.037	-0.361	0.296	0.831	1.000	1.000
	Caregiver: age at baseline survey	33	-0.178	-0.479	0.159	0.293	1.000	1.000
	Caregiver: gender	36	-0.078	-0.397	0.257	0.647	1.000	1.000
	Caregiver: race	36	0.047	-0.286	0.370	0.783	1.000	1.000
	Caregiver: ethnicity	36	0.000	-0.329	0.329	1.000	1.000	1.000
	Caregiver: how are you related to [name]?	36	0.313	-0.018	0.581	0.060	1.000	1.000
	Caregiver: what is the highest level or grade of school that you have completed?	36	0.035	-0.297	0.360	0.837	1.000	1.000
	Caregiver: what is your marital status?	36	-0.122	-0.434	0.215	0.473	1.000	1.000
	Caregiver: PedsQL FIM Parental HRQL Summary Score§	36	-0.018	-0.344	0.313	0.918	1.000	1.000
	Caregiver: PedsQL FIM Family Functioning Summary Score¶	36	-0.102	-0.416	0.235	0.551	1.000	1.000
	Caregiver: PedsQL FIM Total Scale Score#	36	-0.068	-0.388	0.267	0.692	1.000	1.000
	Caregiver: low health literacy**	36	0.235	-0.101	0.523	0.162	1.000	1.000
	Caregiver: low numeracy††	36	0.075	-0.260	0.394	0.661	1.000	1.000

Caregiver: time to travel to primary care provider	36	0.045	-0.288	0.368	0.795	1.000	1.000
Caregiver: routine blood tests (blood counts, lead)	36	0.107	-0.229	0.421	0.530	1.000	1.000
Caregiver: referral to physician specialist for consultation	36	0.018	-0.313	0.344	0.918	1.000	1.000
Caregiver: complex imaging (CT, MRI)	34	0.129	-0.219	0.447	0.465	1.000	1.000
Caregiver: out of your pocket health care costs for all members of the household?	34	0.076	-0.269	0.404	0.666	1.000	1.000
Caregiver: HCAHPS ^{††} top-level score (%)	35	-0.200	-0.500	0.143	0.245	1.000	1.000
Caregiver: wellness visit rating ^{§§}	35	-0.130	-0.444	0.213	0.453	1.000	1.000
PCP: gender	36	0.239	-0.098	0.526	0.157	1.000	1.000
PCP: race	36	0.000	-0.329	0.329	1.000	1.000	1.000
PCP: ethnicity	36	0.189	-0.149	0.487	0.264	1.000	1.000
PCP: role	35	-0.195	-0.496	0.147	0.256	1.000	1.000
PCP: specialty	36	-0.154	-0.459	0.184	0.367	1.000	1.000
PCP: years in practice	35	-0.213	-0.510	0.129	0.214	1.000	1.000
PCP: panel size	34	0.085	-0.260	0.412	0.628	1.000	1.000
PCP: number of patients with DS	36	0.013	-0.317	0.340	0.941	1.000	1.000
PCP: practice size	36	-0.330	-0.594	-0.002	0.046	1.000	1.000
PCP: practice setting	36	-0.023	-0.349	0.308	0.892	1.000	1.000
PCP: federally qualified community health center	36	-0.198	-0.494	0.140	0.243	1.000	1.000
PCP: difficulty obtaining Thyroid testing	36	-0.189	-0.487	0.149	0.264	1.000	1.000
PCP: difficulty obtaining Celiac screening	36	-0.235	-0.523	0.101	0.162	1.000	1.000
PCP: difficulty obtaining Audiogram	36	0.236	-0.100	0.524	0.160	1.000	1.000
PCP: difficulty obtaining Sleep studies	36	-0.306	-0.576	0.025	0.066	1.000	1.000

	PCP: difficulty obtaining Ophthalmology assessment	36	-0.421	-0.658	-0.107	0.009	0.461	1.000
	PCP: length of relationship with patient	33	-0.280	-0.568	0.071	0.110	1.000	1.000
	PCP: familiarity with medical history	36	0.100	-0.236	0.415	0.558	1.000	1.000
	PCP: familiarity with psychosocial history	36	0.048	-0.285	0.371	0.778	1.000	1.000
	PCP: quality of communication with caregiver	36	0.117	-0.220	0.429	0.494	1.000	1.000
	PCP: duration of most recent wellness visit	36	-0.098	-0.413	0.238	0.567	1.000	1.000
	PCP: were you able to spend enough time with [name]?	36	0.027	-0.304	0.353	0.873	1.000	1.000
	PCP: caregiver able to provide information	36	0.198	-0.140	0.494	0.243	1.000	1.000
	PCP: did the caregiver talk to you about any concerns he/she had about [name]'s health?	36	0.198	-0.140	0.494	0.243	1.000	1.000
PCPs: How would you rate the Primary Care Plan?	Person with DS: age at baseline survey	35	-0.340	-0.605	0.008	0.042	1.000	1.000
	Person with DS: sex	35	-0.055	-0.381	0.283	0.752	1.000	1.000
	Person with DS: race	35	-0.022	-0.353	0.313	0.898	1.000	1.000
	Person with DS: ethnicity	35	0.045	-0.293	0.372	0.798	1.000	1.000
	Person with DS: primary Insurance at Randomization	35	-0.046	-0.373	0.292	0.792	1.000	1.000
	Caregiver: PedsQL Psychosocial Health Score*	35	-0.160	-0.468	0.183	0.355	1.000	1.000
	Caregiver: PedsQL Physical Functioning Score [†]	35	0.117	-0.225	0.433	0.501	1.000	1.000
	Caregiver: PedsQL Total Scale Score [‡]	35	-0.037	-0.366	0.300	0.832	1.000	1.000

Caregiver: age at baseline survey	35	-0.192	-0.494	0.151	0.265	1.000	1.000
Caregiver: gender	35	-0.068	-0.393	0.271	0.695	1.000	1.000
Caregiver: race	35	0.129	-0.214	0.443	0.458	1.000	1.000
Caregiver: ethnicity	35	0.045	-0.293	0.372	0.798	1.000	1.000
Caregiver: how are you related to [name]?	35	0.211	-0.131	0.509	0.218	1.000	1.000
Caregiver: what is the highest level or grade of school that you have completed?	35	0.153	-0.189	0.463	0.374	1.000	1.000
Caregiver: what is your marital status?	35	-0.007	-0.340	0.327	0.967	1.000	1.000
Caregiver: PedsQL FIM Parental HRQL Summary Score [§]	35	-0.304	-0.579	0.033	0.072	1.000	1.000
Caregiver: PedsQL FIM Family Functioning Summary Score [¶]	35	-0.282	-0.562	0.057	0.097	1.000	1.000
Caregiver: PedsQL FIM Total Scale Score [#]	35	-0.299	-0.575	0.038	0.076	1.000	1.000
Caregiver: low health literacy ^{**}	35	0.361	0.031	0.620	0.030	1.000	1.000
Caregiver: low numeracy ^{††}	35	-0.052	-0.379	0.286	0.765	1.000	1.000
Caregiver: time to travel to primary care provider	35	0.131	-0.212	0.445	0.450	1.000	1.000
Caregiver: routine blood tests (blood counts, lead)	35	-0.141	-0.453	0.202	0.414	1.000	1.000
Caregiver: referral to physician specialist for consultation	35	-0.163	-0.470	0.180	0.346	1.000	1.000
Caregiver: complex imaging (CT, MRI)	33	-0.134	-0.456	0.219	0.454	1.000	1.000
Caregiver: out of your pocket health care costs for all members of the household?	33	0.345	0.002	0.615	0.046	1.000	1.000
Caregiver: HCAHPS ^{‡‡} top-level score (%)	34	-0.024	-0.359	0.317	0.894	1.000	1.000

Caregiver: wellness visit rating ^{§§}	34	-0.075	-0.403	0.270	0.671	1.000	1.000
PCP: gender	35	0.037	-0.300	0.366	0.832	1.000	1.000
PCP: race	35	0.038	-0.299	0.366	0.829	1.000	1.000
PCP: ethnicity	35	0.257	-0.083	0.544	0.131	1.000	1.000
PCP: role	34	-0.241	-0.535	0.106	0.165	1.000	1.000
PCP: specialty	35	-0.228	-0.521	0.114	0.183	1.000	1.000
PCP: years in practice	34	0.014	-0.326	0.350	0.938	1.000	1.000
PCP: panel size	33	0.478	0.161	0.706	0.004	0.195	1.000
PCP: number of patients with DS	35	0.294	-0.044	0.571	0.082	1.000	1.000
PCP: practice size	35	0.055	-0.284	0.381	0.753	1.000	1.000
PCP: practice setting	35	-0.071	-0.395	0.269	0.685	1.000	1.000
PCP: federally qualified community health center	35	-0.239	-0.530	0.103	0.162	1.000	1.000
PCP: difficulty obtaining Thyroid testing	35	-0.043	-0.371	0.295	0.806	1.000	1.000
PCP: difficulty obtaining Celiac screening	35	-0.020	-0.351	0.315	0.907	1.000	1.000
PCP: difficulty obtaining Audiogram	35	0.318	-0.017	0.589	0.059	1.000	1.000
PCP: difficulty obtaining Sleep studies	35	-0.069	-0.393	0.271	0.692	1.000	1.000
PCP: difficulty obtaining Ophthalmology assessment	35	-0.192	-0.493	0.151	0.266	1.000	1.000
PCP: length of relationship with patient	32	-0.250	-0.550	0.109	0.163	1.000	1.000
PCP: familiarity with medical history	35	0.267	-0.072	0.552	0.116	1.000	1.000
PCP: familiarity with psychosocial history	35	0.222	-0.120	0.517	0.195	1.000	1.000
PCP: quality of communication with caregiver	35	-0.126	-0.441	0.216	0.467	1.000	1.000
PCP: duration of most recent wellness visit	35	-0.110	-0.428	0.231	0.525	1.000	1.000
PCP: were you able to spend enough time with [name]?	35	0.245	-0.096	0.535	0.151	1.000	1.000

PCP: caregiver able to provide information	35	0.188	-0.155	0.490	0.276	1.000	1.000
PCP: did the caregiver talk to you about any concerns he/she had about [name]'s health?	35	0.188	-0.155	0.490	0.276	1.000	1.000

Notes:

*PedsQL Psychosocial Health Score is the sum of the items over the number of items answered in the Emotional, Social, and School Functioning scales. It is scaled from 0 (Low) to 100 (High). Higher scores indicate a better quality of life.

†PedsQL Physical Functioning Score is scaled from 0 (Low) to 100 (High). Higher scores indicate a better quality of life

‡ PedsQL Total Scale Score is the sum of all the items over the number of items answered on all the Scales. It is scaled from 0 (Low) to 100 (High). Higher scores indicate a better quality of life.

§PedsQL FIM Parental HRQL Summary Score includes 20 items and is computed as the sum of the items divided by the number of items answered in the Physical, Emotional, Social, and Cognitive Functioning Scales. It is scaled from 0 (Low) to 100 (High). Higher scores indicate a better functioning.

¶PedsQL FIM Family Functioning Summary Score includes 8 items and is computed as the sum of the items divided by the number of items answered in the Daily Activities and family Relationships scales. It is scaled from 0 (Low) to 100 (High). Higher scores indicate a better functioning.

#PedsQL FIM Total Score is a sum of all 36 items divided by the number of items answered. It is scaled from 0 (Low) to 100 (High). Higher scores indicate a better functioning.

**Low health literacy was defined as a response of “sometimes,” “often,” or “always” to any of the following three questions: “How often do you have someone help you read medical materials?” “How often do you need help filling out medical forms?”; and “How often do you have problems learning about [name]’s medical condition because of difficulty understanding written information?” [answer options: Never, Occasionally, Sometimes, Often or Always]

††Low numeracy is defined as an answer of “1 in 100, 1 in 1000, or Don’t know” to the question: “Which of the following numbers represents the biggest risk of getting a disease?” [answer options: “1 in 10, 1 in 100, 1 in 1000, or Don’t know”] or an answer of “1%, 5%, 10%, or Don’t know” to the question: “Which of the following numbers represents the biggest risk of getting a disease?” [answer options: 1%, 10%, 5%, or Don’t know]

‡‡HCAHPS stands for Hospital Consumer Assessment of Healthcare Providers and Systems and is the nationally standardized survey of patients’ perspectives of hospital care.

§§The Wellness visit rating is scaled from 0–10 with 0 meaning the “Worst wellness visit possible” and 10 meaning the “Best wellness visit possible.” The numbers that are not

represented here (e.g., 0, 1, 3) had zero responses.

¶¶ Nom P-value is the comparison-wide p-value with no correction for multiple comparisons

Adj P-value is a step-down Bonferroni adjusted p-value correcting for the 51 predictors evaluated for each outcome measure

*** Full Adj P-value is a step-down Bonferroni adjust p-value correcting for all 459 combinations of predictors and outcomes