Since January 2020 Elsevier has created a COVID-19 resource centre with free information in English and Mandarin on the novel coronavirus COVID-19. The COVID-19 resource centre is hosted on Elsevier Connect, the company's public news and information website.

Elsevier hereby grants permission to make all its COVID-19-related research that is available on the COVID-19 resource centre - including this research content - immediately available in PubMed Central and other publicly funded repositories, such as the WHO COVID database with rights for unrestricted research re-use and analyses in any form or by any means with acknowledgement of the original source. These permissions are granted for free by Elsevier for as long as the COVID-19 resource centre remains active.

Journal Pre-proof



Spatial and Temporal Trends in Travel for COVID-19 Vaccinations

Abigail L. Cochran PhD , Jueyu Wang PhD , Mary Wolfe PhD , Evan Iacobucci PhD , Emma Vinella-Brusher , Noreen C. McDonald PhD

PII: S2773-0654(23)00059-7
DOI: https://doi.org/10.1016/j.focus.2023.100122
Reference: FOCUS 100122

To appear in: *AJPM Focus*

Received date: 29 July 2022
Revised date: 5 June 2023
Accepted date: 7 June 2023

Please cite this article as: Abigail L. Cochran PhD , Jueyu Wang PhD , Mary Wolfe PhD , Evan Iacobucci PhD , Emma Vinella-Brusher , Noreen C. McDonald PhD , Spatial and Temporal Trends in Travel for COVID-19 Vaccinations, *AJPM Focus* (2023), doi: https://doi.org/10.1016/j.focus.2023.100122

This is a PDF file of an article that has undergone enhancements after acceptance, such as the addition of a cover page and metadata, and formatting for readability, but it is not yet the definitive version of record. This version will undergo additional copyediting, typesetting and review before it is published in its final form, but we are providing this version to give early visibility of the article. Please note that, during the production process, errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

© 2023 Published by Elsevier Inc. on behalf of The American Journal of Preventive Medicine Board of Governors.
This is an open access article under the CC BY-NC-ND license (http://creativecommons.org/licenses/by-nc-nd/4.0/)

Journal Pre-proof

Highlights

- Disparities in distances people traveled for vaccinations by demographics exist.
- Males and White people traveled longer distances for vaccination appointments.
- Travel distances of over 10 miles for vaccination likely required motorized transportation.

Journal Pre-proof

Journal Pre-proof

Spatial and Temporal Trends in Travel for COVID-19 Vaccinations

Abigail L. Cochran, PhD
COMMUNITY & REGIONAL PLANNING
University of Nebraska–Lincoln
Architecture Hall (ARCH) 210 Lincoln NE 68588-0106 USA
acochran@unl.edu
ORCiD: https://orcid.org/0000-0002-7866-4865

Jueyu Wang, PhD (corresponding author)
Texas A&M Transportation Institute
1111 Rellis Pkwy, Bryan, TX 77807 USA
o-wang@tti.tamu.edu
ORCiD: https://orcid.org/0000-0003-1568-0195

Mary Wolfe, PhD
Center for Health Equity Research
University of North Carolina at Chapel Hill
323 MacNider Hall, 333 South Columbia Street, Chapel Hill, NC 27599, USA
mary_wolfe@med.unc.edu
ORCiD: https://orcid.org/0000-0001-6043-1433

Evan Iacobucci, PhD
Department of City and Regional Planning
University of North Carolina at Chapel Hill
New East Building, CB# 3140 223 E Cameron Ave, Chapel Hill, NC 27599, USA
evaniaco@unc.edu
ORCiD: https://orcid.org/0000-0001-5813-8895

Emma Vinella-Brusher
Department of City and Regional Planning
University of North Carolina at Chapel Hill
New East Building, CB# 3140 223 E Cameron Ave, Chapel Hill, NC 27599, USA
evb@unc.edu
ORCiD: https://orcid.org/0000-0001-6416-6892

Noreen C. McDonald, PhD
Department of City and Regional Planning
University of North Carolina at Chapel Hill
New East Building, CB# 3140 223 E Cameron Ave, Chapel Hill, NC 27599, USA
noreen@unc.edu
ORCiD: https://orcid.org/0000-0002-4854-7035

Word Count: 1,138 words; 14 pages; 2 tables; 1 figure

ACKNOWLEDGEMENTS

Journal Pre-proof

Journal Pre-proof

This work was sponsored by a contract from the Southeastern Transportation Research, Innovation, Development and Education Center (STRIDE), a Regional University Transportation Center sponsored by a grant from the US Department of Transportation's University Transportation Centers Program. We also acknowledge the assistance of the NC Translational and Clinical Sciences (NC TraCS) Institute for accessing the study data, which is supported by the National Center for Advancing Translational Sciences (NCATS), National Institutes of Health.

Journal Pre-proof

ABSTRACT

Introduction: Understanding spatial and temporal trends in travel for COVID-19 vaccinations by key demographic characteristics (i.e., gender, race, age) is important for ensuring equitable access to and increasing distribution efficiency of vaccines and other health services. The aim of this study is to examine trends in travel distance for COVID-19 vaccinations over the course of the vaccination rollout in North Carolina.

Methods: Data were collected using electronic medical records of individuals who had first- or single-dose COVID-19 vaccination appointments through UNC Health between December 15, 2020, and August 31, 2021 (N = 204,718). Travel distances to appointments were calculated using the Euclidean distance from individuals' home ZIP code centroids to clinic addresses. Descriptive statistics and multivariable regression models with individuals' home ZIP codes incorporated as fixed effects were used to examine differences in travel distances by gender, race, and age.

Journal Pre-proof

Results: Males and White individuals traveled significantly farther for vaccination appointments throughout the vaccination rollout. On average, females traveled 14. 4 miles, 3.5% shorter distances than males; Black individuals traveled 13.6 miles, 10.0% shorter distances than White individuals; and people aged 65 and older traveled 14.5 miles, 2.6% longer distances than younger people living in the same ZIP code.

Conclusions: Controlling for socioeconomic status and spatial proximity to vaccination clinics at the ZIP code level, males and White individuals traveled longer distances for vaccination appointments, demonstrating more ability to travel for vaccinations. Results indicate a need to consider differential ability to travel to vaccinations by key demographic characteristics in COVID-19 vaccination programs and future mass health service delivery efforts.

Keywords: COVID-19 Vaccination, Travel Distance; Disparities; North Carolina

Journal Pre-proof

Journal Pre-proof

INTRODUCTION

Historical and well-documented health disparities in the U.S. have been compounded by starkly disproportionate rates of COVID-19 morbidity and mortality among people of color.[1–3] COVID-19 vaccination rates have also varied by race; Black individuals have been less likely than their White counterparts to receive a vaccine throughout the vaccination rollout.[4] Though Black individuals have been found to live in closer proximity to COVID-19 testing and vaccination sites, less car access and other barriers may keep them from getting vaccinated at comparable rates to White individuals.[1,5–7] In addition to race, age and gender are known to influence COVID-19 risk as well as vaccination access and uptake.[8,9]

This study aims to examine spatial and temporal trends in travel for COVID-19 vaccination appointments among a sample of individuals in a large North Carolina health system between December 2020 and August 2021. Understanding patterns in travel for COVID-19 vaccinations over vaccination rollout phases, across space, and by key demographic characteristics (i.e., gender, race, age) is important for moving toward more equitable access to vaccines and other health services.

Journal Pre-proof

MATERIAL AND METHODS

The Carolina Data Warehouse for Health (CDW-H), a central data repository containing clinical, research, and administrative data sourced from the UNC Health system, provided the data for this study. Data were collected using electronic medical records of individuals who had first- or single-dose COVID-19 vaccination appointments at UNC Health vaccine clinics between

Journal Pre-proof

December 15, 2020, and August 31, 2021. The UNC Health system operates about 113 unique clinics located across 36 ZIP codes, around 17% of all vaccination clinics. Individuals' home ZIP code, gender, race, and age were included in the data along with vaccination appointment location (clinic name and address) and date. The research study protocol was reviewed and approved by the Institutional Review Board at the University of North Carolina at Chapel Hill. The data does not record any socio-economic status (SES) measures, such as ethnicity, income, and car ownership at the individual level that may also influence the vaccination access. However, we incorporate home ZIP-code level fixed effects as proxy measures of SES at the neighborhood level to control for potential covariates associated with living in common neighborhoods, such as availability of vaccination clinics, proximity to vaccination clinics, social-economic characteristics. Multivariable regression models of the natural logarithm of travel distance ($\log D_{ij}$) assessed differences by gender, race, and age (X_{ij}) controlling for unobserved ZIP-code level factors (Z_j), including SES and spatial proximity to vaccination sites. For every one-unit changes in the independent variable, our dependent variable changes by (exp(β)-1)*100.

$$\log D_{ij} = \beta_0 X_{ij} + \beta_1 Z_j + \mu_{ij}$$

Travel distances to appointments were calculated using the Euclidean distance (in miles) from individuals' (i) home ZIP code (j) centroids to vaccination clinic addresses. Mean travel distances and distances representing the 5th and 95th percentiles were calculated by vaccine eligibility phase and individual demographics. Phases were determined by vaccination eligibility in North Carolina:

Journal Pre-proof

Journal Pre-proof

1. Phase 1: December 15, 2020–January 14, 2021; Health care workers treating and caring for COVID patients and long-term care facility staff and residents eligible for the vaccine.
2. Phase 2: January 15–March 1, 2021; Adults aged 65 years and older eligible.
3. Phase 3: March 2–April 6, 2021; Frontline essential workers eligible beginning March 2, and adults at high risk due to underlying conditions eligible beginning March 15.
4. Phase 4: April 7–August 31, 2021; Everyone aged 16 years and older eligible.

In our analysis, we excluded individuals aged under 16 and people living outside of North Carolina. We also excluded outliers who traveled in the 99th percentile of distances. This reduced the sample from 214,454 to 204,718 individuals for the descriptive statistics. The sample size for the regression models was 197,018 individuals after dropping observations missing demographic information and further excluding 270 ZIP codes with fewer than 10 observations.

RESULTS

204,718 individuals were included in the study sample, representing approximately 3.7% of the state's population aged 16-plus vaccinated against COVID-19 between December 2020 and August 2021.[10] 57.9% identified as male, 42.0% as female. 70.8% of individuals identified their race as White or Caucasian ("White"), 14.3% as Black or African American ("Black"), 5.5% as Asian ("Asian"), and 6.1% as another race ("Other"). 64.5% were aged 16–64 years; 35.5% were aged 65 years and older. Recent Census estimates suggest 70.6% of North Carolina residents

Journal Pre-proof

Journal Pre-proof

identify as White, 22.2% as Black or African American, and 3.2% as Asian; 16.7% of North Carolina's population is aged 65 and older.[11]

Males and females traveled mean distances of 15.0 and 14.4 miles, respectively, for vaccination appointments (**Table 1**). Males consistently traveled farther than females throughout all phases of the vaccination rollout. White individuals had a longer mean travel distance (14.9 miles) than individuals of other races; Black individuals had the shortest mean travel distance (13.6 miles). Of note, males and White individuals who traveled in the 95th percentile, or top 5% of distances for vaccination appointments, traveled significantly longer distances—49.1 miles and 47.7 miles, respectively—than counterpart females and Black individuals, who respectively traveled 44.3 miles and 38.8 miles. People aged 25–44 had the longest mean travel distance (15.4 miles), and those aged 16–64 traveled longer mean distances than those aged 65 and older in Phases 2–4. Generally, mean travel distances were shorter for individuals living in ZIP codes that contained or were located near a vaccination clinic (**Figure 1**).

Models show significant variation in travel distances by gender, race, and age (**Table 2**). Females traveled 3.5% shorter distances, on average, than males living in the same home ZIP code with common socioeconomic status and spatial proximity to vaccination clinics. Black individuals traveled 10.0% shorter distances than White individuals. People aged 65 and older traveled 2.6% longer distances than younger people.

DISCUSSION

Journal Pre-proof

Journal Pre-proof

Results point to disparities in distances people traveled for COVID-19 vaccinations by key demographic characteristics. Males and White individuals traveled significantly longer distances for vaccination appointments throughout all phases of the vaccination rollout; females and Black individuals traveled significantly shorter distances. These gender and racial disparities persist even when controlling for individuals' home ZIP codes, which reflect their spatial proximity to vaccination clinics and SES at the ZIP code level. Accordingly, the longer travel distances of males and White individuals observed in this study do not reflect more spatial proximity to vaccination sites, but rather demonstrate greater ability to travel longer distances to access vaccination sites where appointments are available, perhaps due to more car access.

Though mean travel distances decreased over the course of the vaccination rollout, distances were still long enough (>10 miles) that travel for vaccination appointments likely required motorized transportation. Expanding vaccination sites and providing transportation for people that lack car access could promote more equitable vaccine distribution and uptake.

Limitations

This study has several limitations that should be addressed in future studies. First, this study was limited by the resolution of individuals' home location information, as trip origins were the same for all individuals with common home ZIP codes regardless of where they lived within a ZIP code. Second, data was collected for individuals vaccinated in one North Carolina health system (UNC Health); accessing and analyzing data for individuals vaccinated through other health systems and at more vaccination sites could allow for more generalizable results. Third, we do

Journal Pre-proof

Journal Pre-proof

not measure the SES and vaccination hesitance at the individual level. Future studies to use self-administration survey with individual-level detailed data could offer more insights on the variation of vaccination access.

CONCLUSION

Controlling for socioeconomic status and spatial proximity to vaccination clinics at the ZIP code level, males and White individuals traveled longer distances for COVID-19 vaccination appointments, evidencing more ability to travel for vaccinations. Results indicate a need to consider differential ability to travel to vaccinations by key demographic characteristics when planning and designing COVID-19 vaccination programs and future mass health service delivery efforts.

Journal Pre-proof

Journal Pre-proof

ACKNOWLEDGEMENTS

This work was sponsored by a contract from the Southeastern Transportation Research, Innovation, Development and Education Center (STRIDE), a Regional University Transportation Center sponsored by a grant from the US Department of Transportation's University Transportation Centers Program. We also acknowledge the assistance of the NC Translational and Clinical Sciences (NC TraCS) Institute for accessing the study data, which is supported by the National Center for Advancing Translational Sciences (NCATS), National Institutes of Health, through Grant Award Number UL1TR002489.

Journal Pre-proof

Journal Pre-proof

REFERENCES

1. Chen KL, Brozen M, Rollman JE, et al. How is the COVID-19 Pandemic Shaping Transportation Access to Health Care? *Transp Res Interdiscip Perspect*. Published online March 12, 2021:100338. doi:10.1016/j.trip.2021.100338
2. Health Equity - Office of Minority Health and Health Equity - CDC. Published May 18, 2021. Accessed May 19, 2021. https://www.cdc.gov/healthequity/index.html
3. Hill L, Artiga S. COVID-19 Cases and Deaths by Race/Ethnicity: Current Data and Changes Over Time. KFF. Published February 22, 2022. Accessed April 12, 2022. https://www.kff.org/coronavirus-covid-19/issue-brief/covid-19-cases-and-deaths-by-race-ethnicity-current-data-and-changes-over-time/
4. Ndugga N, Hill L, Artiga S, Haldar S. Latest Data on COVID-19 Vaccinations by Race/Ethnicity. KFF. Published February 2, 2022. Accessed March 7, 2022. https://www.kff.org/coronavirus-covid-19/issue-brief/latest-data-on-covid-19-vaccinations-by-race-ethnicity/
5. Tao R, Downs J, Beckie TM, Chen Y, McNelley W. Examining spatial accessibility to COVID-19 testing sites in Florida. *Ann GIS*. 2020;26(4):319-327. doi:10.1080/19475683.2020.1833365
6. Cochran AL, Wang J, Prunkl L, Oluyede L, Wolfe M, McDonald N. Access to the COVID-19 Vaccine in Centralized and Dispersed Distribution Scenarios. *Findings*. Published online May 10, 2021:23555. doi:10.32866/001c.23555
7. Kim K, Ghorbanzadeh M, Horner MW, Ozguven EE. Assessment of disparities in spatial accessibility to vaccination sites in Florida. *Ann GIS*. 2022;0(0):1-15. doi:10.1080/19475683.2022.2026474

Journal Pre-proof

Journal Pre-proof

8. CDC. Demographic Trends of COVID-19 cases and deaths in the US reported to CDC. Centers for Disease Control and Prevention. Published February 17, 2021. Accessed February 18, 2021. https://covid.cdc.gov/covid-data-tracker

9. Nehal KR, Steendam LM, Campos Ponce M, van der Hoeven M, Smit GSA. Worldwide Vaccination Willingness for COVID-19: A Systematic Review and Meta-Analysis. *Vaccines*. 2021;9(10):1071. doi:10.3390/vaccines9101071

10. NCDHHS. Data Behind the Dashboards | NC COVID-19. NCDHHS COVID-19 Response. Published January 13, 2022. Accessed April 14, 2022. https://covid19.ncdhhs.gov/dashboard/data-behind-dashboards

11. U. S. Census Bureau. U.S. Census Bureau QuickFacts: North Carolina. Published 2021. Accessed April 14, 2022. https://www.census.gov/quickfacts/NC

Journal Pre-proof

Journal Pre-proof

Table 1. Mean travel distances and percentage of individuals vaccinated overall and by phase of the vaccination rollout broken down by individuals' gender, race, and age group. 5th and 95th percentile travel distances also presented overall. All distances reported in miles.

	Overall					Phase 1		Phase 2		Phase 3		Phase 4	
	N	%	Mean (SD)	5th	95th	%	Mean (SD)	%	Mean (SD)	%	Mean (SD)	%	Mean (SD)
Gender[a]													
Male	85,994	42.0	15.0 (15.5)	2.4	49.1	10.3	14.0 (14.3)	34.9	15.9 (16.0)	35.5	16.1 (16.7)	19.3	11.9(11.9)
Female	118,610	57.9	14.4 (14.5)	2.3	44.3	14.6	13.8 (12.8)	40.0	15.2 (15.1)	29.4	15.1 (15.8)	15.9	11.8 (11.5)
			***						***		***		
Race[b]													
White	144,746	70.7	14.9 (15.2)	2.4	47.7	13.2	13.6 (13.1)	41.8	15.4 (15.5)	31.0	16.1(16.9)	13.9	11.7 (11.3)
Black	29,428	14.4	13.6 (13.0)	1.8	38.8	7.8	14.4 (11.8)	30.6	14.0 (13.4)	35.1	13.8 (13.2)	26.5	12.8 (12.7)
Asian	11,386	5.6	13.8(15.5)	1.5	49.1	9.3	12.8 (12.7)	19.7	16.0 (17.1)	45.5	15.7 (17.4)	25.5	9.3 (9.6)
Other	12,448	6.1	14.3 (14.4)	1.9	43.5	9.6	13.9 (13.0)	19.7	17.3 (17.1)	37.0	14.4 (14.7)	33.7	12.7 (12.7)
			***				**		***		***		***
Age group													
16-24	16,122	7.9	14.4(16.2)	2.4	50.2	5.0	16.2 (17.8)	9.7	17.5(19.9)	41.1	16.6 (18.7)	44.2	11.5(11.5)
25-44	54,937	26.8	15.4(15.4)	2.4	48.4	17.6	13.3 (12.0)	18.1	16.3(16.0)	41.0	17.5(17.7)	23.3	12.4(12.0)
45-64	60,950	29.8	14.2(14.2)	2.3	41.0	12.9	13.5 (11.7)	18.2	15.6 (15.1)	48.2	15.0 (15.4)	20.8	11.8 (11.6)
65+	72,709	35.5	14.5(14.8)	2.3	46.8	10.8	14.6 (15.5)	75.6	15.2 (15.2)	9.6	10.7 (10.4)	4.0	10.3 (10.6)
			***				***		***		***		***

Notes: [a]114 missing for gender; [b]6,710 missing for race; T-test/ANOVA: *** P<0.001; ** p<0.01; * P<0.05

Journal Pre-proof

Journal Pre-proof

Table 2. Multivariable Model results with home ZIP-code level fixed effects.

	Overall			Phase 1			Phase 2			Phase 3			Phase 4		
	Est.	Exp (Est.)	*P*-value	Est.	Exp (Est.)	*P*-value	Est.	Exp (Est.)	*P*-value	Est.	Exp (Est.)	*P*-value	Est.	Exp (Est.)	*P*-value
Gender (ref: Male)															
Female	-0.04	0.97	<0.001	-0.03	0.97	<0.001	-0.05	0.96	<0.001	-0.04	0.96	<0.001	-0.02	0.98	<0.001
Race (ref: White)															
Black	-0.10	0.90	<0.001	-0.03	0.97	0.041	-0.09	0.91	<0.001	-0.13	0.88	<0.001	-0.03	0.97	<0.001
Asian	-0.03	0.97	<0.001	0.04	1.04	0.027	-0.01	0.99	0.573	-0.03	0.97	0.002	0.00	1.00	0.801
Other	-0.06	0.94	<0.001	0.01	1.01	0.454	0.04	1.04	0.012	-0.14	0.87	<0.001	0.02	1.02	0.029
Age group (ref: 22-45)															
16-24	-0.04	0.96	<0.001	0.06	1.06	0.015	0.01	1.01	0.788	-0.06	0.94	<0.001	0.03	1.03	0.002
45-64	-0.04	0.96	<0.001	-0.04	0.96	<0.001	-0.01	0.99	0.254	-0.08	0.92	<0.001	-0.07	0.94	<0.001
65+	0.03	1.03	<0.001	0.13	1.14	<0.001	0.04	1.04	<0.001	-0.21	0.81	<0.001	-0.17	0.84	<0.001
N of Home ZIPs[a]	339			169			234			211			165		
N	197,018			23,043			73,462			63,980			34,354		
Adjusted R^2	0.42			0.54			0.41			0.38			0.49		

Note: [a]270 ZIP codes excluded with fewer than 10 observations

Journal Pre-proof

Journal Pre-proof

LIST OF FIGURES



Figure 1. Mean travel distance for COVID-19 vaccinations by ZIP code.

Note: No data for 199 ZIP codes.

Journal Pre-proof

Declaration of interests

☒ The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

☐ The authors declare the following financial interests/personal relationships which may be considered as potential competing interests:

Credit author statement

Abigail L. Cochran: Conceptualization, Methodology, Writing- Original draft preparation; Writing- Revision. **Jueyu Wang:** Conceptualization, Methodology, Data curation, Writing-Revision. **Mary Wolfe**: Writing- Reviewing and Editing **Evan Iacobucci**: Writing- Reviewing and Editing **Emma Vinella-Brusher:** Writing- Reviewing and Editing; **Noreen C. McDonald:** Conceptualization, Methodology; Writing- Reviewing and Editing**;**