Erratum Vol. 14, No. 7 / 1 Jul 2023 / Biomedical Optics Express 3343

Biomedical Optics EXPRESS

Complete head cerebral sensitivity mapping for diffuse correlation spectroscopy using subject-specific magnetic resonance imaging models: errata

MELISSA M. WU,[1] KATHERINE PERDUE,[2] SUK-TAK CHAN,[1] KIMBERLY A. STEPHENS,[1] BIN DENG,[1] MARIA ANGELA FRANCESCHINI,[1] AND STEFAN A. CARP[1,*]

[1] *Athinoula A. Martinos Center for Biomedical Imaging, Massachusetts General Hospital, USA*
[2] *Thayer School of Engineering at Dartmouth, USA*
[*] *stefan.carp@mgh.harvard.edu*

Abstract: Errata for the associated article [Biomed. Opt. Express **13**, 1131 (2022)] is attached.

© 2023 Optica Publishing Group under the terms of the Optica Open Access Publishing Agreement

The article [1] was originally published online February 1, 2022 with the following errors:

The subject age information was reported incorrectly. Below is the correct information for Table 1. The sentence following Table 1 should state that "The age range of the subjects was between 21 and 48 years."

Table 1. Subject information.

	Number	Age (average ± standard deviation)
Total subjects	16	28 ± 7 years
Total female subjects	12	27 ± 6 years
Total male subjects	4	33 ± 9 years

Funding. National Institutes of Health (R01NS100750, R21NS116571, U01EB028660).

References

1. M. Wu, K. Perdue, S-T. Chan, K. A. Stephens, B. Deng, M. A. Franceschini, and S. A. Carp, "Complete head cerebral sensitivity mapping for diffuse correlation spectroscopy using subject-specific magnetic resonance imaging models," Biomed. Opt. Express **13**(3), 1131–1151 (2022).

#497495
Journal © 2023

https://doi.org/10.1364/BOE.497495
Received 8 Jun 2023; published 13 Jun 2023