the tranquilliser pure and simple . . .

Bowness, Windermere

"Melleril has fewer side-effects than any other of the phenothiazine compounds . . ."

J. ment. Sci. (1960) **106,** 732.

"Melleril is a useful and relatively potent phenothiazine with an activity similar in the majority of instances to chlorpromazine. The main differences seem to be in the paucity of side-effects with Melleril, particularly the lack of extrapyramidal and liver complications."

Canad. med. Ass. J. (1959) **81,** 549.

Melleril

BY **SANDOZ**

Thioridazine hydrochloride
10 mg. 25 mg. 50 mg. 100 mg.
Bottles of 50 and 250 tablets

. . . in mental and emotional disturbance

ABICOL

TABLETS

SOUND BASIC THERAPY

This new and unique combination of reserpine and bendrofluazide provides a smooth and sustained hypotensive effect. In severe cases, Abicol Tablets also potentiate the effects of ganglion-blocking agents, enabling lower doses to be used.

REDUCED SIDE EFFECTS

Bendrofluazide augments the action of reserpine, permitting effective treatment with negligible risk of serious side-reactions.

Each tablet contains 0·15 mg. of reserpine and 2·5 mg. of bendrofluazide.
Available in packs of 100 and 500 tablets.
The basic N.H.S. price of 25 tablets is 3/2½d (ex. 500 pack).

BOOTS PURE DRUG CO. LTD.
STATION ST., NOTTINGHAM

235 Carcinoma of Œsophagus
J W Bradbeer FRCS (for Norman C Tanner MD FRCS)
236 Carcinomatous Neuropathy with Papillœdema [*Abridged*]
P D B Davies MD MRCP
237 Complete Heart Block with Stokes-Adams Attacks Treated by Indwelling Pacemaker
A H M Siddons MCh FRCS MRCP and O'Neal Humphries MD (for A Leatham FRCP)
238 List of Other Cases shown

Section of Odontology
November 28 1960
239 Symposium on the Use of High Speeds in Cavity Preparation
239 Technical Aspects of High Speed Handpieces [*Abridged*]
Richard R Stephens BDS MRCS LRCP
240 Clinical Aspects [*Abridged*]
G A Morrant BDS DDS
242 Air Contamination from High-Speed Dental Drills
G Kazantzis MB PhD FRCS
244 Changes in the Dental Tissues due to Cavity Preparation using a Turbine Handpiece
Ivor R H Kramer MDS FDSRCS
October 24 1960
247 President's Address (*By Title*)

248 **Books Received for Review**

249 **Book Reviews**

Cover illustration
The illustration on this month's cover is taken from Fig 3 of Mr I R H Kramer's paper on 'Changes in the Dental Tissues due to Cavity Preparation using a Turbine Handpiece' (p 246)

© The Royal Society of Medicine 1961

NB: The Society does not hold itself in any way responsible for the statements made or the views put forward in the various papers.
Copyright: The Society holds the copyright of all matter accepted for publication in the *Proceedings*. Requests for subsequent publication elsewhere should be made to the Honorary Editors, Royal Society of Medicine. The copyright of all papers presented at meetings by Fellows of the Society or Members of the Sections (other than those which have been previously published) shall be deemed to be the property of the Society until a decision has been made by the Society in regard to their publication.





high above the rest...

CHOLEDYL*

in Bronchial Asthma

- produces high theophylline blood levels, when given ORALLY
- provides a higher degree of effectiveness than aminophylline
- increases vital breathing capacity
- can be given for indefinite periods with undiminished effectiveness



STANDARD REFERENCE CARD ON APPLICATION

Choledyl is available in tablets containing 100 mg. or 200 mg. choline theophyllinate B.P.C and is supplied in bottles of 100 and 500 tablets.

Manufactured in England by ALLEN & HANBURYS LTD. LONDON E2

* *under licence from* WARNER-LAMBERT PHARMACEUTICAL COMPANY NEW JERSEY, U.S.A., owners of the trade mark and patents. Patents granted: India 50,707; U. of S. Africa 22,325; U.K. 736,443.

Two Important New Editions—Ready Soon

PYE'S SURGICAL HANDICRAFT

Edited by **HAMILTON BAILEY**
Eighteenth Edition—In 2 Volumes
Vol. I—About 400 pp. Fully illustrated.
About 32*s*. 6*d*.
Vol. II—In preparation.

This work is now being issued in two small, handy volumes—Vol. I General; Vol. II Special. In this new form the appeal of the book has been considerably widened. The medical student will purchase Vol. I, there to find information of a practical character which he is expected to know, but on which, in these days of a crowded curriculum, he receives little or no specific instruction. On qualifying, he will not fail to acquire Vol. II, for therein will be found guidance in the extending scope of his activities.

SYMPTOMS AND SIGNS IN CLINICAL MEDICINE

By **E. NOBLE CHAMBERLAIN**
Seventh Edition
About 540 pp. 383 illustrations, 19 in colour.
About 42*s*.

The book not only describes the common symptoms and physical signs of disease, but also takes the reader a stage further to the visualization of symptoms and signs as forming a clinical picture of a pathological process. In each chapter some of the commoner or more important diseases are included to illustrate how symptoms and signs are pieced together to obtain a correct diagnosis.

For the seventh edition a complete revision has been carried out and many new illustrations have been added.

John Wright & Sons Ltd., Bristol

A History of Medicine

Revised Edition *by* **DOUGLAS GUTHRIE**

'Many histories of medicine have appeared in recent years, but no post-war work in a single volume is better than this one by Dr. Douglas Guthrie. It is distinguished by its comprehensive scope and attractive style . . . combined with this easy literary style is evidence of extensive bibliographical research and of a scholarly enthusiasm for accuracy. . . . It would be hard to suggest how this excellent and reasonably priced book could be improved.'—*Lancet.*

72 *half-tone plates* $8\frac{3}{4} \times 5\frac{5}{8}$ *xvi* + 464 *pp* 42*s*

HISTORY OF THE ROYAL MEDICAL SOCIETY 1737—1937

by **JAMES GRAY MA FRSE**

This is the first detailed history of the oldest medical society in Great Britain from the time of its foundation until the bicentenary celebrations in 1937.

Illustrated *Edinburgh University Press* 42*s*

Prospectuses available from 36 Park Street London W1

NELSON

A Selection of Outstanding Livingstone Publications

SURGERY IS DESTINED TO THE PRACTICE OF MEDICINE

By SIR REGINALD WATSON-JONES

81 pages. Illustrated **21s.**

The Nineteenth Hunterian Oration delivered at the Royal College of Surgeons of England on the occasion of the Hunterian Festival, 16th February 1959

SCIENTIFIC ASPECTS OF NEUROLOGY
Leeds Neurological Sciences Colloquium 1959-60

Edited by HUGH GARLAND, *T.D.*, M.D., F.R.C.P.

276 *pages.* 102 *illustrations.* **50s.**

TEXTBOOK OF MEDICINE

Thirteenth Edition. Edited by SIR JOHN CONYBEARE, *K.B.E., M.C.*, D.M., F.R.C.P., and W. N. MANN, M.D., F.R.C.P.

1,008 *pages.* 102 *illustrations.* **45s.**

DISEASE IN INFANCY AND CHILDHOOD

Third Edition. By RICHARD W. B. ELLIS, *O.B.E.*, M.A., M.D., F.R.C.P.

722 *pages.* 328 *illustrations.* **55s.**

CEREBRAL PALSY IN CHILDHOOD AND ADOLESCENCE

Edited by JOHN L. HENDERSON, M.D., F.R.C.P.(Ed.)

360 *pages.* 10 *illustrations.* *About* **35s.**

THE CLOSED TREATMENT OF COMMON FRACTURES

Third Edition. By JOHN CHARNLEY, B.Sc., M.B., F.R.C.S.

284 *pages.* 434 *illustrations.* **50s.**

TECHNIQUES OF THORACOTOMY

By B. T. LE ROUX, M.B., Ch.B.(Cape Town), F.R.C.S.(Ed.)

102 *pages.* 139 *illustrations.* **55s.**

SURGERY OF THE ACUTE ABDOMEN

By JOHN A. SHEPHERD, *V.R.D.*, M.D., M.Ch., F.R.C.S.Ed., F.R.C.S.(Eng.)

1,238 *pages.* 104 *illustrations.* **£5**

RECURRENT DISLOCATION OF THE SHOULDER

By H. F. MOSELEY, M.A., D.M., M.Ch.(Oxon.), F.R.C.S. (England and Canada), F.A.C.S.

196 *pages.* *Fully illustrated.* *In preparation*

Complete catalogue sent on request.

E. & S. LIVINGSTONE LTD., TEVIOT PLACE, EDINBURGH, 1

PITMAN MEDICAL PUBLISHING CO. LTD.

HANDBOOK OF ABNORMAL PSYCHOLOGY

Edited by H. J. Eysenck; with 20 contributors

A major work in which Professor Eysenck and his colleagues bring the experimental tradition of psychology to bear upon the abnormal behaviour of the organism, rejecting theory and ambiguity in favour of building up evidence by properly planned experimental enquiries. **£6** net

RECENT ADVANCES IN RENAL DISEASE

The Proceedings of the Conference held at the Royal College of Physicians of of London, July 1960

Edited by M. D. Milne, M.D.

Contains the texts of the 19 papers read at the Conference together with the discussions from the floor and illustrations. One of the most topical and authoritative surveys available. **25s.** net

TEXTBOOK OF CLINICAL MEDICINE

Edited by John Todd, M.D.; with 10 Contributors

A new, up-to-date textbook written by active and experienced physicians expressly for the practising doctor. Well-written, selective and practical **£5. 5. 0** net

Commencing publication in May 1961 *A new medium in research communication*

THE JOURNAL OF SURGICAL RESEARCH

A new periodical dedicated to critical selection and prompt publication of experimental work contributing to the advance of surgical science

Edited by CHARLES G. CHILD, M.D., *University of Michigan*

It is planned that this important new journal, the first to be devoted entirely to surgical research, will have an international appeal. Editorial policy will be broad; consideration will be given to reports of research which illuminate the nature of surgical disease or which suggest new methods for its study, its recognition or its management.

Beginning in May, 1961, the Journal will be published bi-monthly. Annual subscription price to six consecutive numbers £3 15s.

W. B. SAUNDERS COMPANY LIMITED **7, Grape Street, London, W.C.2**

The World's Greatest Bookshop

FOYLES

*** * FOR BOOKS * ***

FAMED CENTRE FOR MEDICAL BOOKS

A bookshop such as booklovers dream of. There is no other bookshop, anywhere, to compare with Foyles. —*A Customer's Letter.*

FOYLES TRAVEL BUREAU

Write for Foyles 1961 Holidays Programme. Amazing value!

Railway tickets and reservations at station prices

119-125 CHARING CROSS ROAD WC2

Gerrard 5660 (20 lines) ★ *Open 9-6 including Saturdays (Thursday 9-7)*

Two minutes from Tottenham Court Road Station

A personal service

for the benefit of medical and dental Practitioners is offered by the Medical Insurance Agency, which is entirely unbiased in the advice it offers on all matters of Insurance and related subjects.

The Agency's officials have the knowledge and experience to select the policies best suited to individual requirements and, wherever possible, substantial premium rebates are allowed.

The same personal service is available in negotiating financial help for the purchase of Equipment and Motor Cars.

All surplus is devoted to the professions' charities and to date, these have benefited by no less than £366,800 from the Agency's Covenanted donations and gifts.

MEDICAL INSURANCE AGENCY LTD.

Chairman RONALD W. RAVEN O.B.E., F.R.C.S.

Secretary F. H. PLASTOW

General Manager A. N. DIXON, A.C.I.I.

B.M.A. HOUSE, TAVISTOCK SQUARE, LONDON, WC1

Telephone: EUSton 6031 (9 lines)

Branches in: BELFAST, BIRMINGHAM, BRISTOL, CARDIFF, DUBLIN, EDINBURGH, GLASGOW, LEEDS, LEICESTER, LIVERPOOL, MANCHESTER, NEWCASTLE UPON TYNE, SOUTHAMPTON

BANK AT THE

National Provincial

THEY HELP YOU IN SO MANY WAYS

NATIONAL PROVINCIAL BANK LIMITED

When the patient needs iron . . . . . .



In iron-deficiency anaemias, the problem of obtaining rapid absorption, maximum utilization and effective Hb. increase by oral medication without gastro-intestinal distress is readily resolved by the administration of *Chelated Iron.*

Plesmet

Tablets **Syrup**

(Ferrous Aminoacetosulphate)

Summary of Clinical Report

" In a series of 115 patients treated with ferrous aminoacetosulphate ('plesmet') the incidence of gastro-intestinal symptoms was 1.7%. In view of its minimal toxicity and relatively low cost, it is suggested that this iron chelate preparation is a most effective preparation for the treatment of iron-deficiency anaemia by the oral route."

(PRACTITIONER, 1960, *184*, 792.)

Available as:

Basic N.H.S. price.

Tablets (containing 50 mg. Fe.) Packings of 100 2s. 8d. and 1,000 20s. 0d.
Syrup (25 mg. Fe. per teaspoonful) Bottles of 2 oz. 2s. 0d. and 40 oz. 18s. 0d.

COATES & COOPER LTD.

PYRAMID WORKS, WEST DRAYTON, MIDDX.

C&C LTD

Hygroton® Geigy provides continuing therapeutic control of oedema without physiological stress



RIDDOVYDRIN ELIXIR

CONTAINING VITAMIN C

A carefully compounded syrup of Drosera, methylephedrine, glyceryl guaiacolate and chlorodyne provides a potent expectorant for all forms of cough associated with Asthma, Bronchitis and Influenza.

Supplied in 3 oz. bottles only.
Unfit for children under 14.

Sole Manufacturers:

RIDDELL PRODUCTS LIMITED

RIDDELL HOUSE, 10-14 DUNBRIDGE STREET, LONDON, E.2
Telephone: SHOreditch 7254. Telegrams: Pneumostat, Beth, London

BRANCH OFFICE: 11 Mansfield Chambers, St. Ann's Square, Manchester 2

ST. ANDREW'S HOSPITAL

FOR NERVOUS AND MENTAL DISORDERS

NORTHAMPTON

President—THE EARL SPENCER
Medical Superintendent—THOMAS TENNENT, M.D., F.R.C.P., D.P.H., D.P.M.

This Registered Hospital is situated in 130 acres of park and pleasure grounds. Patients both male and female who are suffering from incipient mental disorders or who wish to prevent recurrent attacks of mental trouble, are received for treatment. Careful clinical, biochemical, bacteriological and pathological examinations. Private rooms with special nurses, male or female, in the hospital or in one of the numerous villas in the grounds of the various branches, can be provided.

WANTAGE HOUSE

This is a Reception Hospital in detached grounds with a separate entrance, to which patients can be admitted. It is equipped with all the apparatus for the complete investigation and treatment of mental and nervous disorders by the most modern methods: insulin treatment is available for suitable cases. It also contains laboratories for biochemical, bacteriological and pathological research. Psychotherapeutic treatment is employed when indicated.

MOULTON PARK

Two miles from the Main Hospital there are several villas situated in a park and farm of 600 acres. Milk, meat, fruit and vegetables are supplied to the hospital from the farm, gardens and orchards of Moulton Park. Occupational Therapy is a feature of this branch, and patients are given every facility for occupying themselves in farming, gardening and fruit growing.

BRYN-Y-NEUADD HALL

The seaside home of St. Andrew's Hospital is beautifully situated in a park of 330 acres, at Llanfairfechan, amidst the finest scenery in North Wales. On the north-west side of the estate a mile of sea-coast forms the boundary. Patients may visit this branch for a short seaside change or for longer periods. The hospital has its own private bathing house on the seashore. There is trout-fishing in the park.

For terms and further particulars apply to the Medical Superintendent (TELEPHONE No. 34354 Northampton) who can be seen in London by appointment.

Tofranil® Geigy

N-(γ-Dimethylamnopropyl)-iminodibenzyl hydrochloride

Thymoleptic Specific therapeutic measure in the treatment of depression

★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★

Vintage 1958 Claret

HEDGES & BUTLER LTD

offer

these pleasant, light, and inexpensive wines which are ready for drinking now

	Per Bottle	Per Dozen
CLOS LA GELETTE	6/9	80/–
CHATEAU FAUGERE, Ste. Colombe	7/–	80/–
CRU DE BEL AIR, Côtes de Bourg	7/3	83/–
CHATEAU MARAN, Ières Cotes de Bordeaux	7/6	86/–
CHATEAU LESTAGE, Parsac-St. Emilion	8/–	92/–
CHATEAU CHAIGNEAU, Lalande de Pomerol	8/9	101/–

A sample case containing one bottle of each of the above wines sent carriage free to any address in the United Kingdom for

£2.2.0.

For smaller quantities, please add delivery charges: 3/– for 1 bottle, 3/9 for 2 bottles, 4/– for 3 bottles.

Please send money with your order to:

HEDGES & BUTLER LTD.

22 The Arcade
Bournemouth
Tel: 20943

or

153 Regent St.
London, W.1
Tel: REGent 4444

★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★

BY APPOINTMENT TO HER MAJESTY THE QUEEN,
SCOTCH WHISKY DISTILLERS, JOHN WALKER & SONS, LTD.

Johnnie Walker

Born 1820 - still going strong

MARMITE

yeast extract

contains

Riboflavin (vitamin B_2) 1·5 mg. per oz.
Niacin (nicotinic acid) 16·5 mg. per oz.

in Restricted Diets

In the dietary control of obesity, diabetes or other conditions a reduced intake of vitamins may lead to complications. Addition of Marmite to these restricted diets supplements their content of B vitamins and adds flavour to meals which are apt to be dull and uninteresting

MARMITE LIMITED

35, SEETHING LANE, LONDON, E.C.3

NOTICE TO ADVERTISERS

Applications for advertisement space in the "Proceedings" should be made to:

H. S. JANES & PARTNERS
LIMITED
38 RUSSELL SQUARE, LONDON, W.C.1

TELEPHONES: EUSTON 3221
LANGHAM 8705

Favourite patient: favourite drink

Mrs. K. The indomitable she, all quips and curls. And the favourite patient's favourite drink, the one in the glass in her hand?—Lucozade, of course. It has helped during the last few days of gastro-enteritis, when appetite was poor and glycogen stores were low. It is helping now as the patient emerges into convalescence, ready for a light diet, eager to be up and about. Less than a quarter as sweet as sucrose, providing 126 Calories in one glass, and putting them into the blood-stream *quickly*—those are the reasons why the doctor too approves of . . .

LUCOZADE

In any comparison of oral penicillins, 'V-Cil-K' is bound to take first place. Its introduction marked a milestone in penicillin therapy—it is still the favourite. 'V-Cil-K' provides the clinical response of parenteral penicillin with the convenience and safety of oral penicillin; blood levels are twice as high as those of penicillin-V acid; action is swift; side effects are few. These are the facts as confirmed by many clinical reports. *Performance* is the criterion for any drug, and on recorded performance 'V-Cil-K' is unsurpassed among oral penicillins.

'V-CIL-K'

Trade mark · brand

PENICILLIN V POTASSIUM

PRESENTATION 'Pulvules' 125 mg. and 250 mg. Tablets 60 mg., 125 mg., 250 mg. Syrup. Bottles to make 30 cc. and 60 cc. (125 mg. per 5 cc. when prepared). Also 'V-Cil-K Sulpha'.

Lilly ELI LILLY AND COMPANY LIMITED · BASINGSTOKE · ENGLAND



Cortril* Spray

After a few day's treatment, lesions become flat and pale with subsidence of oedema, pruritus and infiltration.
Neither stings, burns nor irritates.
No need to touch tender fragile skin.
Non-tacky.

Presentation : *2 fl. oz. pack* *1 fl. oz. pack*

Pfizer **SCIENCE FOR THE WORLD'S WELL-BEING** Pfizer Ltd · Sandwich · Kent

*Trade Mark

PF191/1102

Ideal for automatic processing

ILFORD LIMITED have modified the physical properties of Ilford Standard and Red Seal x-ray films to meet the exacting needs of high-speed automatic processing.
Automatic processing, with its attendant high temperature and agitation, increases the emulsion speed and contrast of Ilford films to produce brilliant images of maximum diagnostic quality.

ILFORD x-ray films

RED SEAL · STANDARD

ILFORD LIMITED · ILFORD · ESSEX

Solprin · Codis · Cafdis

Contain neutral stable soluble aspirin



SOLPRIN. Dissolves in water to form a true solution of calcium acetylsalicylate (neutral soluble aspirin).

Clinical evidence produced over a long period of years indicates that Solprin is unlikely to irritate the gastric mucosa, even in the massive dosage prescribed in rheumatic conditions.

More rapidly absorbed giving a quicker effect.

CODIS. Neutral soluble aspirin with phenacetin and codeine phosphate.

CAFDIS. Neutral soluble aspirin with phenacetin and caffeine.

N.H.S. basic prices for 500 tablets in foil, which ensures protection from moisture:

SOLPRIN 12/6 CODIS 25/- CAFDIS 16/-

Literature and clinical samples available from:

RECKITT & SONS LIMITED, PHARMACEUTICAL DEPARTMENT, HULL, YORKSHIRE

For all chloramphenicol prescriptions:

Paraxin®

(in India: Chloramphycin®)

Capsules, Dragées, Tablets
Dry Syrup (granules)
Eye Ointment
Ear-drops
Ointment
Ampoules, for intravenous infusion
Ampoules, intramuscular
Suppositories
New: Solu-Paraxin (i.m., i.v., s.c.)

Antibiotic
with
constant
broad-spectrum
action

boehringer

C. F. Boehringer & Soehne GmbH
Mannheim · Germany

a fresh start for corticoid therapy

GLAXO ANNOUNCE

βetnelan

an entirely new anti-inflammatory steroid

Here is a steroid having increased anti-inflammatory activity with a decreased possibility of side effects. Betnelan, the most potent steroid available for clinical use,

is devoid of salt retention activity
has negligible effect on potassium balance
causes no mental depression

and shows promise of clinical superiority in other respects.
For short-term therapy a "**2 : 1 : ½**" dosage scheme is suggested.
For example, in acute asthma, severe eczema, urticaria, shock and other conditions for which corticoids are indicated systemically, the dosage may be **2** tablets t.i.d. for 2 days followed by **1** tablet t.i.d. for 2 days and ½ tablet t.i.d. for 2 days
For maintenance, dosage need be no more than ½ tablet twice daily.

BETNELAN is presented as scored tablets containing 0·5 milligrams betamethasone in bottles of 30, 100 and 500.

Dose for dose, Betnelan is the lowest priced of all corticosteroids available today.

Betnelan (betamethasone) is an entirely new parent compound developed in Britain by Glaxo Laboratories Ltd. Its merits are derived from its unique chemical structure—the beta position of 16 methyl group in the formula 16β-methyl-9α-fluoroprednisolone (betamethasone) *representing more than 20 new stages of manufacturing complexity.*

GLAXO LABORATORIES LIMITED

CELBENIN

BRL1241

SODIUM 6 – (2,6 – DIMETHOXYBENZAMIDO)PENICILLANATE MONOHYDRATE

'There would appear to be considerable justification for its immediate use in severe infections due to penicillin-resistant strains of staph. aureus'

Brit. med. J. 1960 ii, 703

Celbenin is a product of British research at
BEECHAM RESEARCH Laboratories Ltd., BRENTFORD, ENGLAND
Telephone: Isleworth 4111

Striking the right

NOTE

'ACTIDIL', most potent of the antihistamines, strikes the right note in the treatment of allergies. It is exceptionally strong—yet safe for all ages. Two or three daily doses of 'Actidil' Tablets or 'Actidil' Elixir will restore most patients to harmony with nature.

'ACTIDIL' *-in allergies*

TRIPROLIDINE HYDROCHLORIDE

BURROUGHS WELLCOME & CO. LONDON

(*The Wellcome Foundation Ltd.*)

12045

Ample oxygen supply to the myocardium



Persantin is available as tablets for the management of angina pectoris and in ampoules for intramuscular or intravenous injection in the emergency treatment of myocardial infarction. Full information on dosage and administration is available from the Director of Medical Services, Boehringer Ingelheim Division, Pfizer Ltd., Sandwich, Kent.

[1] Cardiac catheter studies—Knipping, H. W., Bolt, W., and Mikulicz, K., *Arzneimittel-Forsch*, 1960, **10**, 364

38% mean increase in oxygen saturation of the coronary sinus blood[1]

PERSANTIN*

2,6-bis (diethanolamino)-4,8-dipiperidino-pyrimido (5,4-d)-pyrimidine

Manufactured and distributed in the U.K. by Pfizer Ltd., Sandwich, Kent for
C. H. BOEHRINGER SOHN, INGELHEIM am RHEIN.
Registered proprietors of the Trade Mark.

*Regd. Trade Mark

FOR PATIENTS OF

5 or 75

the single-dose-a-day
sulphonamide

Midicel*

Tablets
containing 0.5G sulphamethoxypyridazine
Suspension
containing 0.25G N¹-acetyl
sulphamethoxypyridazine per teaspoonful

PARKE-DAVIS PARKE, DAVIS & COMPANY
(Inc. USA liability limited) Hounslow, Middlesex

* trade mark

PD 116



today — back on the job

Niamid† *shortens the depressive phase*

brand of nialamide

Recent publications emphasize the value of Niamid in the treatment of reactive depression. It has also been found of particular benefit in treating long-standing depression, especially where this affects older people. Smooth, gentle and sustained in action, Niamid has been singled out among monoamine oxidase inhibitors as 'a very safe drug'[1]

1 *Med. Press*, 1960, **244**, 546.

is marketed in the United Kingdom by
HARVEY PHARMACEUTICALS
a department of Pfizer Ltd · Sandwich · Kent

† Trade Mark HM78/11127

Hypon



analgesic and antipyretic tablets

A balanced formula containing codeine, phenacetin and acetylsalicylic acid plus caffeine and phenolphthalein to offset the side effects of depression and constipation.

Indications: Rheumatic conditions, spastic dysmenorrhoea, neuralgia, headaches and all conditions where an analgesic is indicated.

Dose: 1 or 2 tablets every four hours, or as prescribed.

Influenza, coryza, acute rheumatism, tonsillitis and all other pyrexial conditions.

Dose: 2 tablets every four hours or as prescribed.

Formula: Acid Acetylsalicyl B.P 200 mg.; Phenacet. B.P. 250 mg.; Caffein. B.P. 10 mg.; Codein. Phosph. B.P. 5 mg.; Phenolphthal. B.P. 5 mg.; (Each tablet 8 grains.)

Presentation: Tax Free Dispensing Packs 300 and 600 tablets.

Trade Price:
300 Tablets 16s. 11d. Exempt P.T.
600 Tablets 31s. 6d. Exempt P.T.

CALMIC

CALMIC LIMITED · CREWE · CHESHIRE
Telephone: Crewe 3251 (7 lines) LONDON: 2 Mansfield Street. Telephone: Langham 8038/9



Adult female. Total body psoriasis of several years' duration. Alphosyl started 22/1/58. Lesions practically clear by 5/3/58.

dramatic clinical results in psoriasis

followed by medical successes throughout the United Kingdom

Though modern medicaments have brought almost dramatic relief to many forms of skin affection, Psoriasis has so far remained intractable. Its ætiology continues to baffle investigation and many forms of tried therapy have yielded only partial or temporary results.

Now ALPHOSYL—after extensive clinical trials and medical successes throughout the United Kingdom—shows promise of bringing total clearances in many cases of Psoriasis.

In ALPHOSYL, for the first time, are presented in combination two powerful and proved agents: allantoin and a specially refined coal tar extract. The synergistic effects of these medicaments result in rapid clearance of the condition itself and positive stimulation of the healing process.

ALPHOSYL LOTION combines these two valuable agents in one preparation and has had impressive results where other medications have failed.

The successes obtained with ALPHOSYL indicate that it deserves a trial in all cases of Psoriasis—no matter how extensive the area of infection, how long the duration of the condition, or whatever the therapy previously used.

References: "Clinical Medicine" Vol. 5, No. 4, April 1958: and "Ohio State Medical Journal," Vol. 55, No. 6, June, 1959.

alphosyl LOTION

FOR SUB-ACUTE and chronic dermatoses

TAR + HYDROCORTISONE

combined in

TARCORTIN CREAM

have pronounced advantages over either medicament alone.

The established germicidal, stimulating and anti-pruritic properties of tar in the treatment of sub-acute and refractory skin affections, can now be considerably enhanced by its incorporation with hydrocortisone.

*Clinical trials have shown that the two medicaments together exert a powerful synergistic action that is far more rapid, more pronounced and complete than the action of either alone. These two valuable therapeutic agents are presented in a non-greasy, stainless hydrophilic cream, known as TARCORTIN.

TARCORTIN CREAM *is supplied in 7 grm. and 15 grm. tubes, containing 0.5% hydrocortisone in a special coal-tar extract.*

**Literature available on request.*

STAFFORD-MILLER LIMITED · HATFIELD · HERTS

Manufacturing Chemists

in the combined clinical picture of

infection
and reaction

Framycort Ointment

Framycetin with hydrocortisone

Framycetin-the ideal antibiotic for local use

The Framycetin Skin Range

in sub-acute and chronic infections

FRAMYCORT OINTMENT
Framycetin with hydrocortisone
in a greasy base.
Tubes of 10G: Basic NHS cost 6/-.

also available, for acute and sub-acute infections and reactions

FRAMYCORT LOTION
Framycetin and hydrocortisone
in a creamy lotion base.
20ml plastic squeeze bottles:
Basic NHS cost 8/3.

for simple infections

FRAMYGEN CREAM
Framycetin alone in a water-miscible base. Tubes of 15G: Basic NHS cost 4/-

Genatosan Ltd
Loughborough Leicestershire

GS55

a new, non-amphetamine appetite suppressant

Duromine

for the ACTIVE obese patient
predictable weight loss
from a single capsule daily



dependable weight loss without stimulation

Duromine contains phenyl-*tertiary*-butylamine—a new non-amphetamine appetite suppressant—in the form of a long-acting ion-exchange resin complex.

for the ACTIVE obese patient

Duromine is of particular value in those cases where even mild stimulation is neither necessary nor desirable, as in the *active* obese patient.

one capsule provides 10-14 hours effect

Through ion-exchange release, Duromine provides smooth prolonged effect for 10-14 hours from one capsule daily.

two strength capsules

15 mg. and 30 mg. capsules are available to meet individual needs.

basic N.H.S. prices	15 mg.	30 mg.
bottles of 30 capsules	8/8 + PT	11/- + PT
300 capsules	78/- + PT	89/4 + PT

RIKER **RIKER LABORATORIES LIMITED Loughborough Leicestershire**

'Duromine' is a trade mark

RKDMJ 194

MINADEX

Trade Mark

GLAXO

THE VITAMIN-MINERAL TONIC

In 6 and 12 fl. oz. bottles

GLAXO LABORATORIES LIMITED

in anxiety
and
tension

Fentazin
PERPHENAZINE

2mg. t.i.d.

Fentazin tablets contain
2 mg. or 4 mg. perphenazine
Bottles of 50 and 500.

ALLEN & HANBURYS LTD
Bethnal Green London E 2

'Fentazin' is a Trade Mark

AH 176

NO NEED TO
INTERRUPT SLEEP
OR THERAPY WHEN
YOU PRESCRIBE
LEDERMYCIN†
DEMETHYLCHLORTETRACYCLINE
† TRADEMARK
"... only two daily doses are required: the elimination of any need for 6-hourly schedules of administration is an important advantage for patients who need, among other things, sleep."
Brit. med. J., ii: 959, 1960
Capsules 150 mg. in bottles of 16, 100 and 1000
LEDERLE LABORATORIES
a division of
CYANAMID OF GREAT BRITAIN LTD. London W.C.2

Malabsorption

Malabsorption from the proximal portion of the small intestine may occur in peptic ulceration and is relatively common following gastrectomy.
The defect concerns in particular the absorption of iron, fat and the vitamin B complex, and is thought to be due to:—

Impairment of the mechanism which stimulates the flow of bile and pancreatic secretions.
Imperfect mixing of food with digestive enzymes.
Intestinal hurry and impaired functional activity of the mucosa.

The resulting tissue insufficiency of vitamins may be severe enough to induce symptoms and signs usually diagnostic of a nutritional deficiency, e.g. glossitis and stomatitis, oedema, skin rashes and even mental changes.

PARENTROVITE

containing massive doses of the B complex together with ascorbic acid, quickly restores the tissue concentration of vitamins. The presence of ascorbic acid along with the B complex also promotes healing.
Twin ampoules are available in 2 strengths for intravenous and intramuscular administration.

A PRODUCT OF
VITAMINS LIMITED, UPPER MALL LONDON, W.6.


eliminates
the
need
for
excessive
fluid

'Madribon'

the once-a-day sulphonamide

Unlike other sulphonamides, 'Madribon' is excreted mainly in the form of a highly soluble glucuronide, and excessive fluid is, therefore, unnecessary.

ROCHE
PRODUCTS LTD

'Madribon' is a registered trade mark for 2,4 dimethoxy-6-sulphonilamide 1,3-dia-[illegible]

J102

Pro-Banthine

Relief of pain in peptic ulcer

Where anxiety plays a part

Pro-Banthine *with* Dartalan

SEARLE

TAX FREE PENSION

The Medical Practitioners' Union Insurance Society has designed the PRACTITIONER'S PENSION POLICY. This contract is quite unique, and provides a tax free income from age 65 or the date of death, whichever is earlier, until the 85th birthday. Thereafter an annuity is payable so long as the doctor and/or his wife shall survive.

A new addition to the PRACTITIONER'S PENSION POLICY is the inclusion in the contract of a clause allowing a waiver of premiums in the event of the doctor being incapacitated for more than six months by sickness or accident.

If you would care to have details of the Society's PRACTITIONER'S PENSION POLICY will you please forward particulars of your date cf birth and your wife's date of birth to the undermentioned address.

The Society transacts all classes of insurance, and among other contracts specially designed for the medical profession are the SCHOLASTIC POLICY, and the PRACTITIONER'S PERSONAL and FAMILY POLICIES. Information about these, or any other forms of insurance, will also be forwarded to you on request.

THE MEDICAL PRACTITIONERS' UNION INSURANCE SOCIETY LTD.,

55-56 RUSSELL SQUARE, LONDON, W.C.1.

Spring Selection from Pergamon Press

CORONARY VASODILATORS
by R. Charlier

In this important monograph Dr. Charlier assesses present knowledge of the pharmacological effects of vasodilators, the mechanisms responsible for these effects and the therapeutic importance of classical treatments and also of treatments in the experimental stage. Members of the profession will welcome this scholarly and clearly written survey with its exceptional bibliography.

Approx. 55s. ($8.50)

ONCOGENIC VIRUSES
by Ludwick Gross

This monograph reviews the known oncogenic viruses, discusses the current status of experimental approach to virus-caused neoplasms, and lists the most important bibliographical references. It will prove to be of great value to workers in this field as a concise and authoritative source of information. **80s. ($12.00)**

OXYTOCIN
by R. Caldeyro-Barcia and H. Heller

This is the first monograph on the subject. It records the proceedings of a symposium held at the University of Montevideo and represents the most comprehensive account of the physiology of oxytocin with special reference to its importance in human labour. The approach is very wide in its inlcusion of the endocrinological, biochemical, pharmacological and clinical point of view.

Approx. 63s.

NEW SOVIET SURGICAL APPARATUS AND INSTRUMENTS AND THEIR APPLICATION
edited by N. G. Anan'yev

The first section of this well organized text is devoted to general problems of medical instrument making—the new science of designing medical instruments and apparatus—followed by several sections dealing with the experience gained from using the new apparatus. Surgeons in teaching hospitals and universities will find it an invaluable source of new knowledge, covering a wide range of surgical problems, nad notably excellent in its treatment of vascular surgery. **80s. net ($12.50)**

REGIONAL NEUROCHEMISTRY
THE REGIONAL CHEMISTRY, PHYSIOLOGY AND PHARMACOLOGY OF THE NERVOUS SYSTEM
edited by Seymour S. Kety and Joel Elkes

Contains the authoritative proceedings of the Fourth International Neurochemical Symposium, Varenna. Among the papers delivered were, Regional Distribution of Methyl Transferase Enzymes in the Nervous System and Glandular Tissues by J. Axelrod, P. D. Maclean, R. Wayne Albersand and H. Weissbach, and a distinguished list of participants discussed such topics as Copper Distribution in the Human Brain and the Effects of Drugs on Neurons. **84s. net ($12.00)**

Send for fully descriptive leaflets

PERGAMON PRESS

OXFORD LONDON NEW YORK PARIS

Headington Hill Hall, Oxford
4 and 5 Fitzroy Square, London, W.1
221 East 55th Street, New York 22, New York

HEINEMANN PUBLICATIONS

HANDICAPPED CHILDREN

By J. D. Kershaw

M.D., M.R.C.S., L.R.C.P., D.P.H.

Medical Officer of Health, Colchester;
Divisional School Medical Officer, North East Essex

The plan of the book is simple. It outlines the principles which underlie the care of the handicapped child, by defining his needs and by indicating how those needs can be met. It considers specific handicapping disabilities and discusses in more detail the application of the general principles. There are chapters on: The Problem in Outline; Public Attitudes; Parent and Child; Handicap and Work; Handicap and Recreation; The Education of the Handicapped; The Principles of Assessment; Blindness; Partial Sight; Deafness; Epilepsy; Physical Disability; Delicate Children; Mental Subnormality; Maladjustment; Cerebral Palsy; Other Multiple Handicaps. Appendices deal with Handicapped Children in the Less Developed Countries and with Law and the Handicapped Child.

The work will be of interest to consultant physicians and surgeons, general practitioners, doctors in the child welfare and school health services.

240 pages. In preparation 21s net

William Heinemann Medical Books Ltd.
15/16 Queen Street, Mayfair, London W.1.

HMSO

MEDICAL RESEARCH COUNCIL

The Composition of Foods

R. A. McCance and E. M. Widdowson

A revised and expanded edition of the authors' widely-used food tables, last revised in 1946.

The tables give the amounts of protein, fat, carbohydrates, minerals and vitamins in most of the foods common in this country, including proprietary preparations. Figures are given for foods both in the raw state and as eaten. (*Special Report Series No.* 297.) **30s.** (*post* 1*s.* 2*d.*)

From the Government Bookshops

or through any bookseller

HMSO

DEPRESSION INDUCED ANXIETY

MOST COMMONLY ENCOUNTERED:
psychosomatic disorders; chronic diseases; other organic illnesses.

MOST COMMONLY EXPRESSED BY:
nervousness; anorexia; tension fatigue states; sadness; insomnia; apprehension; irritability; hypochondriasis.

MOST EFFECTIVELY TREATED WITH:
a true antidepressant which relieves the depression-induced anxiety by alleviating the depression itself.

NARDIL is a true antidepressant which acts selectively on the brain.
NARDIL acts rapidly, improvement is seen within the first week and often in the first few days.
NARDIL is safe—toxic effects on blood or liver are extremely rare.
NARDIL has a simple and convenient dosage schedule (one tablet three times a day) which helps patient co-operation.
NARDIL is economical in use. Basic N.H.S. cost only 4/11 (excl. p.t.) for 25 tablets.

Nardil is available in bottles of 100 and 500 sugar-coated tablets each containing 15 mg. phenelzine.

NARDIL

TRADE-MARK

BRAND OF PHENELZINE

IN GENERAL PRACTICE

WILLIAM R. WARNER & CO. LTD., EASTLEIGH, HAMPSHIRE. Tel: Eastleigh 3131

NAR 517



nothing is simpler — nothing more effective

The Medihaler*

delivers particles premicronised to optimum size
meters each dose delivered
contains 200 doses in each vial
provides up to two months treatment per vial

The Medihaler* is simple to assemble and use

For rapid relief in bronchial asthma

Medihaler Iso*	0.08 mg. isoprenaline sulphate per dose
Medihaler Iso* Forte	0.4 mg. isoprenaline sulphate per dose
Medihaler Epi*	0.28 mg. adrenaline bitartrate per dose

RIKER *Registered trade marks

RIKER LABORATORIES LIMITED, Loughborough · Leicestershire M4

Anapolon

oxymetholone TRADE MARK

for protein anabolism

'*Anapolon*' is an entirely new anabolic agent originating from the research laboratories of the Syntex Corporation and manufactured in Great Britain by I.C.I. Distinguished by its ability to promote the retention of nitrogen and other elements essential for tissue building, '*Anapolon*' restores the metabolic balance and facilitates recovery in cases of febrile or wasting disease, impaired development in children, surgical procedures, burns and other injuries.

Anapolon

* Aids tissue building.
* Improves appetite and promotes weight gain.
* Hastens post-operative recovery and convalescence after disease.
* Corrects decalcification.
* Stimulates growth and development in children.

A POTENT, SAFE ANABOLIC AGENT

Presented in scored tablets of 5 mg. In containers of
25, *basic N.H.S. cost,* 19/-
100, *basic N.H.S. cost,* 70/-
A 500 *size is also available.*



PH86

A product of the Syntex Corporation

IMPERIAL CHEMICAL INDUSTRIES LIMITED PHARMACEUTICALS DIVISION WILMSLOW CHESHIRE

Index to advertisers

Pharmaceuticals
Allen & Hanburys Ltd v, xxxii
Astra-Hewlett Ltd iv
Beecham Research Laboratories Ltd xxii
Boehringer C F & Soehne GmbH xx
Boots Pure Drug Co Ltd ii
Burroughs Wellcome & Co xxiii
Calmic Ltd xxvii
Coates & Cooper Ltd x
FBA Pharmaceuticals Ltd *Inside back cover*
Genatosan Ltd xxix
Geigy Pharmaceutical Co Ltd xi, xiii
Glaxo Laboratories Ltd xxi, xxxi
Imperial Chemical Industries Ltd xli
Lederle Laboratories Division
(Cyanamid Products Ltd) xxxiii
Lilly Eli & Co Ltd xvi
Parke Davis & Co Ltd xxv
Pfizer Ltd xvii
Pfizer Ltd (C H Boehringer Sohn) xxiv
Pfizer Ltd (Harvey Pharmaceuticals) xxvi
Reckitt & Sons Ltd xix
Riddell Products Ltd xii
Riker Laboratories Ltd xxx, xl
Roche Products Ltd xxxv
Sandoz Products Ltd *Inside front cover*
Searle G D & Co Ltd xxxvi
Stafford-Miller Ltd xxviii
Vitamins Ltd xxxiv
Warner William R & Co Ltd xxxix
Wyeth John & Brother Ltd *Back cover*

Medical and Surgical Appliances
Ilford Ltd xviii

Foods and Drinks
Hedges & Butler Ltd xiv
Lucozade Ltd xv
Marmite Ltd xiv
Walker John & Sons Ltd xiv

Booksellers and Publishers
HMSO xxxviii
Foyle W & G Ltd viii
Heinemann Wm (Medical Books) Ltd xxxviii
Livingstone E & S Ltd vii
Nelson Thomas & Sons Ltd vi
Pergamon Press xxxviii
Pitman Medical Publishing Co Ltd vii
Saunders W B Co Ltd viii
Wright John & Sons Ltd vi

Miscellaneous
Medical Insurance Agency Ltd ix
Medical Practitioners' Union Insurance
Society Ltd xxxvii
National Provincial Bank ix
St. Andrew's Hospital xii

Price list

Proceedings of the Royal Society of Medicine

Copies of the whole Proceedings
may be purchased through any bookseller or direct from the distributing agents
Prices are as follows:
Single copies: 10s 6d each post free (USA $2.00)
Annual subscription: £6 6s 0d (USA $19.00)
(covering 12 monthly issues and annual index)

Distributing Agents
H K Lewis & Co Ltd 136 Gower St London WC1
In the USA: Grune & Stratton Inc
381 Park Avenue South New York 16

Reprints of Sectional parts
may be obtained direct from
the Honorary Editors Royal Society of Medicine
1 Wimpole Street London W1
Prices are as follows:
Single copies 3s 6d each post free
Annual subscription 15s 0d

Fellows & Members
of the Royal Society of Medicine are asked to apply direct to the Honorary Editors Royal Society of Medicine 1 Wimpole Street London W1 for any copies of the *Proceedings* they may require whether whole or Sectional in addition to those they receive *gratis*

Prices to Fellows and Members:

Whole Proceedings:
Single copies 7s 6d each post free
Complete volume £5 0s 0d
(12 monthly issues and annual index)

Sectional Proceedings:
Single copies 3s 0d each post free
Annual subscription 10s 0d

Printed in England by Staples Printers Limited at their Great Titchfield Street London W1 establishment

in rheumatoid arthritis Radical remission in 35% of patients good to excellent results in 75% of patients **Resochin** (CHLOROQUINE PHOSPHATE)

for rapid relief, precursor of long term remission

ELESTOL

RESOCHIN + SYMPTOMATIC COMPONENTS

2 tablets t.i.d.



Elestol tablets, containing Resochin 40mg, aspirin 200mg and prednisone 0.75mg, in bottles of 30 and 150. Basic NHS prices 9/4 and 42/- respectively.

FBA

TRUSTED MEDICINES FOR THE WORLD'S HEALTH
FARBENFABRIKEN BAYER AG. LEVERKUSEN. SOLE DISTRIBUTORS IN THE UNITED KINGDOM
FBA PHARMACEUTICALS LTD 37-41 BEDFORD ROW LONDON WC1
'ELESTOL' AND 'RESOCHIN' ARE REGISTERED TRADE MARKS

FBA 54

Wyeth
London

Of those who came asking for a tonic to offset their irritability, lack of concentration and appetite, you know that many really need sedation. Tastefully, elegantly and economically, Beplete allows you to prescribe phenobarbitone, disguised in patient-acceptable tonic form. Beplete* meets your patients' as well as your own demands in treatment. *Bottles of 4 fl. oz. elixir (0.25 grains phenobarbitone plus vitamin B-complex per 4 ml.) Also available in tablet form.* *trade mark

THIS PATIENT NEEDS

Bpl 6